




ProVue Deluxe LED Magnifying Lamp Efficient and Powerful



Heavy-Duty Mounting Clamp

The innovative ProVue Deluxe LED Magnifying lamp from Aven is the new standard in inspection lighting. This durable aluminum design features a 5 inch, 5 diopter glass lens for crystal clear, distortion-free viewing. Featuring 72 energy-efficient LED lights for shadow-free illumination.

The 36" adjustable friction arm provides a large working range. Simply set your lamp position and lock it in. No springs, no exposed wires and no pinching hazards. The lamp head rotates in any direction to suit your inspection needs, and the convenient built-in dimmer allows you to control the lamp brightness.

PROVUE DELUXE LED			
MAGNIFICATIO	N	2.25X (5-Diopter)	
LENS DIAMETEI	R	5in	
ADJUSTABLE ARM LENGTH		36in	
COLOR		Brushed Silver	
LIGHTING		72 LED Lights	
<u> </u>			
Part #	Descr	iption	Lens
26501-DSG-LED	ProVu	e Deluxe LED Magnifying Lamp	5 Diopter



Macro Vue HD Video Inspection Systems



Product # 26700-107-15

Product # 26700-107-10

Tailored For Your Productivity

Eye strain and neck fatigue are a common problem with modern microscopes and can make routine inspection challenging. Aven's Macro Vue HD systems frees your eyes from microscope eyepieces and provides a crisp inspection image at eye level. Stay focused, reduce fatigue and enhance productivity while saving valuable bench top space with Aven's all-in-one Macro Vue systems.

Item #	Description
26700-107-10	Macro Vue HD Video Inspection System with Standard Stand
26700-107-15	Macro Vue HDVideo Inspection System with Dual-Arm Boom Stand

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108 Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



ESD Safe Soldering Stations



Compact & Convenient Soldering

Part #	Description	Price
17400	Soldering Station with LCD Display ESD Safe 400 Series	\$134.95
Part #	Description	Price
17405	Soldering Station with LCD Display ESD Safe	\$54.95

ADDITIONAL TIPS	
17400-N91	¥] 81
17400-N92	
17400-N93	
17400-N94	
17400-N95	

Soldering Iron 80W with Fine Tip



This professional grade soldering iron produces 80 watts (up to 500°C) and is ideal for general purpose soldering applications including metal board, tube or large components, electrical/electronic components, audio equipment, RC hobbies and more.

SOLDERING IRON 80W WITH FINE TIP			
POWER		80W	
TEMPERATURE		Up to 500°C (932°F)	
DIMENSIONS		285mm x 35mm x 35mm (11.25" x 1	.375" x 1.375")
TIP		Fine	
POWER SOURCE		Corded Electrical	
WEIGHT		0.2kg (0.45 lbs)	
PACKAGE CONTENTS		Soldering Iron 80W with Fine Tip	
Part #	Descrip	tion	Price
17510	Solderin	g Iron 80W with Fine Tip	\$16.50



Mighty Cam 3.0 USB Camera

Expererience USB 3.0 Speed

Aven's Mighty Cam 3.0 is the new generation USB3.0 camera. Capable of frame rates more than double of USB 2.0 devices, the Mighty Cam 3.0 is ideal for applications that require reduced image lag times. Simply attach the Mighty Cam 3.0 to your microscope, plug in the USB 3.0 cable and connect to your computer. Includes ezMeasure software to capture stunning images, record video, make accurate measurements and more.

Part #	Description	Sensor
26100-244	Mighty Cam 3.0	CMOS




- USB 3.0 interface provides high speed image transfer rates.
- Automatic/Maunual White Balance
- Progressive Scan
- USB cable plugs into any computer to save, process and share images
- Windows 7 & 8-compatible ezMeasure Software
- Ideal for applications that require reduced lag times

Mighty Cam CCD USB Camera

See the CCD Difference

The Mighty Cam CCD is designed for challenging lighting and color conditions. The CCD sensor provides precise color reproduction and highly detailed images for your demanding applications. The Mighty Cam CCD is capable of high resolution images with low noise and can precisely capture moving objects.

Part #	Description	Sensor
26100-245	Mighty Cam CCD	CCD




- 1/2" 1.4MP Color CCD Sensor provides crisp images with accurate color
- Automatic/Maunual White Balance
- Progressive Scan
- USB cable plugs into any computer to save, process and share images
- Windows 7 & 8-compatible ezMeasure Software
 Ideal for challenging lighting and color
- conditions



2015 Digital Catalog

Table of Contents



Product Category	Page(s)
New At Aven	2-5
Digital Microscopes	7-8
Stereo Zoom Microscopes	9- 14
Video Inspection Systems	15 - 18
Microscope & Video Accessories	19- 27
Magnifiers	28 - 30
Magnifying Lamps & Accessories	31- 33
Work Lights	34
Hand Tools	35 - 41
Precision Cutters & Pliers	42 - 46
Tweezers	47 - 54
Soldering & Desoldering C. 4330 VARSITY DRIVE ANN ARBOR, MI 48108	55 - 57

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Digital Microscopes

Inspect, analyze & measure with ease on your PC

Mighty Scope USB Digital Microscopes

- New Models available with 1.3 and 5MP CMOS sensor
- Active Pixel Technology produces sharp and accurate color images
- Microtouch shutter allows for quick and convenient image capture
- Compatible with Windows and Mac
- 10-200x, 500x, UV and Near Infrared models
- Ergonomic design allows comfortable use in either hand
- Includes measurement software and adjustable metal stand
- 10-200x available with polarizer



"Inspect, analyze, measure easily on your laptop"

Product ID	Description
26700-200	Mighty Scope 1.3M USB Digital Microscope (10x-200x)
26700-200-PLR	Mighty Scope 1.3M USB Digital Microscope w/Polarizer (10x-200x)
26700-204	Mighty Scope 1.3M USB Digital Microscope (500x)
26700-205	Mighty Scope 1.3M USB Digital Microscope w/ UV Illumination (10x-200x)
26700-207	Mighty Scope 5M USB Digital Microscope w/NIR Illumination (10x-200x)
26700-209	Mighty Scope 5M USB Digital Microscope (10x-200x)
26700-209-PLR	Mighty Scope 5M USB Digital Microscope with Polarizer (10x-200x)
26700-216	Mighty Scope 1.3M Polarizer
26700-217	Mighty Scope 5M Polarizer

Mighty Scope Analog Microscope

- Easy to use 6-LED compact & handy analog microscope with RCA outputs
- Ideal for applications where it is not feasible to have a PC, such as assembly lines and workbenches with space limitations
- High resolution magnification at your fingertips
- Detailed examination of any area you choose
- Active Pixel Technology produces sharp images and accurate color reproduction
- LED's can be turned on or off with brightness control wheel on the body
- Magnification range from 10x to 50x

Product ID Description 26700-202 Mighty Scope 0.3M Analog Microscope (10x-50x)



- 6-inch-long microscope can be hand-held or standmounted
- 10x to 80x magnification, controlled by changes in working distance
- Creates wi-fi hotspot with 30foot range
- Works with Androids, Apple iOS tablets and phones
- Snap button on body saves high-quality images





"Compact scope links wirelessly to tablets, phones"

* iPad not included

Product ID Description

26700-201 Mighty Scope Connect Wi-Fi Digital Microscope (10x-80x)

iLoupe XL2 **Digital Microscope**

- Large 2.8" LCD color screen
- Built-in 2 gigabyte flash memory
- 4 white LED lights with brightness control
- Magnification: 10x, 40x (optical) 15x to 200x (digital)
- USB port and cable for computer link and charging
- Adjustable-height stand
- Lithium-ion battery
- Advanced application software

26700-520

"Discover the Micro World"

VEN

Product ID Description 26700-520 iLoupe XL2 Digital Microscope

zipScope USB Digital Microscopes

- New models available with 2 and 9 MP CMOS sensor
- Anti-slip coating engineered for comfort and cushioning
- 2-stage intensity control of 8 LEDs for shadowfree lighting
- USB cable plugs into any computer to save, process and share images
- Snapshot button conveniently captures crisp, clear, true-color images
- Windows-compatible measurement and imaging software
- Broad magnification range (10x 200x)
- Ideal for general inspection and use in labs, medical offices, classrooms and by hobbyists

26700-302

Product ID	Description
26700-300	zipScope 2M USB Digital Microscope
26700-302	zipScope 9M USB Digital Microscope

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



7



26700-202



Digital Microscopes

Inspect, analyze & measure with ease on your PC

Cyclops Digital Microscope

This innovative inspection scope connects directly to an HD monitor as well as to a computer. Operators observe magnified videos or single frames while looking directly at the monitor, rather than straining over narrow eyepieces. A large working distance and 30 LEDs allow examination of sizable objects. Magnification ranges up to 270x on a 21.5" extended monitor or 534x for PC viewing.

- Dual output HDMI and USB
- Auto Focus enabled
- Designed to maximize efficiency and operator comfort
- 5-megapixel sensor
- High magnification range and extended working distance
- Up to 273x magnification in HDMI mode and 534x in PC mode
- ▶ LED illumination with intensity control
- Infrared remote control for all major features
- Includes standard 4x objective lens and measurement software
- Optional articulating arm stands and 10x lens available

Product ID	Description	
26700-400	Cyclops Digital Microscope	
26700-400-L10X	Cyclops Objective Lens 10X	
26700-400-L4X	Cyclops Objective Lens 4X	
26700-400-RC	Cyclops Remote Control	
26700-400-STN	Cyclops Stand	
26700-400-GN	Cyclops Gooseneck LED Lights	

Digital Microscope Stands



Product ID	Description	
26700-210	Mighty Scope Boom Stand	
26700-211	Mighty Scope Standard Stand	
26700-212	Mighty Scope Flex Stand	
26700-213	Mighty Scope Cradle Stand	
26700-214	Mighty Scope Stand with Fine Adjustment	
26700-215	Mighty Scope Dual View Stand	
26700-311	Universal Digital Microscope Stand w/Backlight	
26700-312	3D Stand for Digital Microscopes and Cameras	
26700-312-LED	3D Stand with LED for Digital Microscopes and Cameras	
26700-410-C18	Cyclops Articulating Arm Stand, Post Height 17-in	
26700-411-C15	Cyclops Articulating Arm Stand, Post Height 12-in	



"Dual-mode scope features HDMI and USB outputs"



AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

High-grade optics and unibody design

SPZ-50 Series Stereo Zoom Microscopes

- Magnification Range: 6.7x to 50x (3.35x to 200x with optional lenses)
- Large 7.46:1 Zoom Ratio (best Zoom Ratio in this class)
- Field of View: 34.3mm to 3.6mm (1.35" to 0.14")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
 - Optional eyepieces available include DHW15x SPZV-50
- (F.N.15) & DHW20x (F.N.11.4)
 Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eyeguards and dust cover

Product ID	Description
SPZ-50	SPZ-50 Stereo Zoom Binocular Microscope
SPZV-50	SPZV-50 Stereo Zoom Trinocular Microscope

Optical Data for SPZ-50 & SPZV-50

Eyepiece DHW10x (F.N.23)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	6.7x-50x	3.35x-25x	5x-37.5x	10.72x-80x	13.4x-100x	
Working Dist.	108mm	240mm	132mm	50mm	41mm	
Field of View	34.3-4.6mm	68.9-9.2mm	45.7-6.1mm	21.4-2.8mm	17.1-2.3mm	

Eyepiece DHW15x (F.N.15)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	10.05x-75x	5.02x-37.5x	7.53x-56.25x	16.08x-120x	20.1x-150x	
Working Dist.	108mm	240mm	132mm	50mm	41mm	
Field of View	22.3-3mm	44.7-6mm	29.8-4mm	16-1.8mm	11.1-1.5mm	

Eyepiece DHW20x (F.N.11.4)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	13.4x-100x	6.7x-50x	10.05x-75x	21.44x-160x	26.8x-200x	
Working Dist.	108mm	240mm	132mm	50mm	41mm	
Field of View	17-2.2mm	34-4.5mm	22.6-3mm	10.6-1.4mm	8.5-1.1mm	

NOTE: When creating your own microscope system, the 0.5x Auxiliary Lens cannot be used on the SPZ series body with stands P, PF, T and TL.

Register online to receive updates on the newest products and for the latest specials from Aven.

SPZH-135 Series Stereo Zoom

Microscopes

- Magnification Range: 21x to 135x (14x to 180x with optional lenses)
- ▶ 6.4:1 Zoom Ratio
- Field of View: 34.3mm to 3.6mm (1.35" to 0.14")
- ▶ Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- DHW20x (F.N.11.4) optional eyepieces available
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eyeguards and dust cover

Product ID	Description
SPZH-135	SPZH-135 Stereo Zoom Binocular Microscope
SPZHT-135	SPZHT-135 Stereo Zoom Trinocular Microscope

Optical Data for SPZH-135 & SPZHT-135

Eyepiece	DHW15x (F.N.15)		DHW20x (F.N.	11.4)
Auxiliary Lens	Nil	w/0.5x	Nil	w/0.5x
Magnifications	21x-135x	10.5x-67.5x	28x-180x	14x-90x
Working Dist.	84mm	135mm	84mm	135mm
Field of View	10.7-1.6mm	21.4-3.3mm	8.1-1.2mm	16.2-2.5mm

NSW Series Binocular Stereo Microscopes

- Dual magnification (10x/20x; 10x/30x; 6x/20x)
- Field of view 38.3mm at 6x
- Field of view 23mm at 10x
- Field of view 11.5mm at 20x
- Field of view 7.6mm at 30x
- Includes DSW10x (F.N.23) eyepieces
 Includes rubber eyeguards and dust cover

Product ID	Description
NSW-20	Dual Magnification 10x & 20x Stereo Body
NSW-30	Dual Magnification 10x & 30x Stereo Body
NSW-620	Dual Magnification 6x & 20x Stereo Body

Optical Data for NSW Series Binocular Stereo Microscopes

Models	NSW-20	NSW-30	NSW-620		
Magnification (Field of View)	10x (23mm) 20x (11.5mm)	10x (23mm) 30x (7.6mm)	6x (38.3mm) 20x (11.5mm)		
Objective Lenses	1x & 2x	1x & 3x	0.6x & 2x		
Eyepieces	Wide Field DSW10x (F.N.23)				
Optical Body	360° rotatable binocular type 45° inclined eyepiece tube				
Working Distance	82.5mm	82.5mm	82.5mm		

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



SPZH-135

NSW-620

9







High-grade optics and unibody design

DSZ-44 Series Stereo Zoom Microscopes

- Magnification Range: 10x to 44x (2.5x to 140.8x with optional lenses)
- Zoom ratio: 4.4:1
- Field of view 23mm to 5.2mm (0.90" to 0.20")
- Working distance: 90mm (3.54")
- Includes Wide Field DSW10x (F.N.23) eyepieces
- Optional eyepieces available include DSW5x (F.N.22.5), DSW15x (F.N.15) & DSW20x (F.N.11.4)
- Trinocular port includes easy adjust
 C mount compare adapter for fine for
- C-mount camera adapter for fine focusing
 Includes rubber eyeguards and dust cover

Product ID	Description
DSZ-44	DSZ-44 - Stereo Zoom Binocular Microscope
DSZV-44	DSZV-44 - Stereo Zoom Trinocular Microscope

Optical Data for DSZ-44 & DSZV-44

Eyepiece DSW5x (F.N. 22.5)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x		
Magnifications	5x-22x	2.5x-11x	3.75x-16.5x	8x-35.2x		
Working Dist.	90mm	150mm	105mm	45mm		
Field of View	22.5-5.1mm	45-10.2mm	30-6.8mm	14-3.1mm		

Eyepiece DSW10x (F.N. 23)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x		
Magnifications	10x-44x	5x-22x	7.5x-33x	16x-70.4x		
Working Dist.	90mm	150mm	105mm	45mm		
Field of View	23-5.2mm	46-10.4mm	30.6-6.9mm	14.3-3.2mm		

Eyepiece DSW15X (F.N. 15)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x		
Magnifications	15x-66x	7.5x-33x	11.25x-49.5x	24x-105.6x		
Working Dist.	90mm	150mm	105mm	45mm		
Field of View	15-3.4mm	30-6.8mm	20-49.5mm	9.3-2.1mm		

Eyepiece DSW20X (F.N. 11.4)				
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x
Magnifications	20x-88x	10x-44x	15x-66x	32x-140.8x
Working Dist.	90mm	150mm	105mm	45mm
Field of View	11.4-2.5mm	22.8-5.1mm	15.2-3.45mm	7.1-1.6mm

DSZ-70 Series Binocular Stereo Zoom Microscopes

- Magnification Range: 20x to 70x (5x to 224x with optional lenses)
- ▶ 3.5:1 Zoom Ratio
- Field of View: 10mm to 2.8mm (0.39' to 0.11")
- Working Distance: 80mm (4.25")
- Includes DSW10xZ (F.N.20) eyepieces
- Optional eyepieces available include DSW5xZ (F.N.20), DSW15x (F.N.15) & DSW20x (F.N.11.4)
- Versatile binocular microscope best suited for high magnification applications
- Includes rubber eyeguards and dust cover

Product ID	Description
DSZ-70	DSZ-70 - Binocular Stereo Zoom Microscope

Optical Data for DSZ-70

Eyepiece DSW5xZ (F.N.20)				
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x
Magnifications	10x-35x	5x-17.5x	7.5x-26.25x	16x-56x
Working Dist.	80mm	120mm	85mm	41mm
Field of View	10-2.9mm	20-5.7mm	13.3-3.8mm	6.2-1.7mm

Eyepiece DSW10xZ (F.N. 20)				
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x
Magnifications	20x-70x	10x-35x	15x-52.5x	32x-112x
Working Dist.	80mm	120mm	85mm	41mm
Field of View	10-2.8mm	20-5.7mm	13.3-3.8mm	6.2-1.7mm

Eyepiece DSW15x (F.N. 15)				
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x
Magnifications	30x-105x	15x-52.5x	22.5x-78.75x	48x-168x
Working Dist.	80mm	120mm	85mm	41mm
Field of View	7.5-2.1mm	15-4.2mm	10-2.8mm	4.6-1.3mm

Eyepiece DSW20x (F.N. 11.4)				
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x
Magnifications	40x-140x	20x-70x	30x-105x	64x-224x
Working Dist.	80mm	120mm	85mm	41mm
Field of View	5.7-1.6mm	11.4-3.2mm	7.6-2.1mm	3.5-1mm



Design Your Own Microscope System

With a large variety of cameras, lighting options, and stands and focus mounts, you can create and order your own customized microscope system on our website. If you need help creating a custom system, please call our experienced sales team and let them assist you in creating a tailor made solution that will meet your specific requirements.



www.aveninc.com

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

DSZ-70

Preconfigured Microscope Systems

SPZH-135 Stereo Zoom **Binocular Microscope** on Stand PLED

- Magnification Range: 21x to 135x
- Zoom Ratio: 6.4:1
- Field of View: 10.7-1.6mm (0.42" to 0.6")
- Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) evepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and
- spherical aberration Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-351 SPZH-135 Stereo Zoom Binocular Microscope on Stand PLED

SPZH-135 Stereo Zoom Microscope with DBL Arm Boom, EARM, LED FOI illumination

- Magnification Range: 21x to 135x
- Zoom Ratio: 6.4:1
- Field of View: 10.7-1.6mm (0.42" to 0.6")
- Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) evepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
- Mounted in an E-ARM focus mount attached to a Double Arm Boom Stand that delivers the smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-352 SPZH-135 Stereo Zoom Microscope w/ DBL Arm Boom, EARM, LED FOI

Register online to receive updates on the newest products and for the latest specials from Aven.

SPZHT-135 Stereo Zoom Trinocular Microscope on Stand PLED with HD Monitor

- Magnification Range: 21x to 135x
- On screen Magnification Range: 27x to 179x
- Zoom Ratio: 6.4:1
- Field of View: 10.7-1.6mm (0.42" to 0.6")
 - Working Distance: 84mm (3.3")
 - Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
 - Diopter adjustment on both eyepiece tubes
 - Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
 - Click stop zoom adjustments for accurate, repeatable measurement
 - 1080P HD camera for unsurpassed imagery
 - One touch fine focus trinocular camera port adjustment for quick, easy camera focus and parfocaling the scope
 - Pole stand with built in LED illumination with dimmer control
 - Multi coated optical components, free from chromatic and spherical aberration
 - Coarse and fine focusing, ideal for fine detail work
 - Monitor helps increase productivity by reducing eye & neck strain

Product ID Description

SPZHT-135 Stereo Zoom Trinocular Microscope on Stand PLED with HD 26800B-353 Monitor

SPZHT-135 Stereo Zoom Trinocular **Microscope on** Stand LW w/ FOI

- Magnification Range: 21x to 135x
- On screen Magnification Range: 76x to 494x
- Zoom Ratio: 6.4:1
- Field of View: 10.7-1.6mm (0.42" to 0.6")
- Working Distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 50mm to 74mm (1.96" to 2.91") accommodates any operator
- Click stop zoom adjustments for accurate, repeatable measurement
- 1080P HD camera for unsurpassed imagery
- One touch fine focus trinocular camera port adjustment for quick, easy camera focus and parfocaling the scope
- Mounted in an E-ARM focus mount attached to a LW articulating arm stand that extends area of view and working distance
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work
- Monitor helps increase productivity by reducing eye & neck strain

Product ID Description SPZHT-135 Stereo Zoom Trinocular Microscope on Stand LW with LED Fiber 26800B-354 **Optic Illuminator**

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com





26800B-353





26800B-354



Preconfigured Microscope Systems

26800B-371

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS w/ Integrated LED Ring Light

- Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- 26800B-369
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- Tiltable arbor enables you to angle the microscope for maximum comfort and viewing
- Integrated 60 LED Ring Light with dimmer
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS & Integrated 26800B-369 LED Ring Light

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS with LED FOI

- Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
 - Diopter adjustment on both eyepiece tubes
 - 26800B-370 Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to
- 2.95") accommodates any operator Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- Tilt able arbor enables you to angle the microscope for maximum comfort and viewing
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-370 SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS w/ LED FOI

> Follow Us on @aventools

SPZ-50 Stereo Zoom **Binocular Microscope on**

Stand PLED

- Magnification Range: 6.7x to 50x ►
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Pole stand with built in LED illumination with dimmer control Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS & Integrated 26800B-371 LED Ring Light

SPZ-50 Stereo Zoom Binocular Microscope on Stand LW & LED Ring Light

- Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35' to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) evepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Mounted in an E-ARM focus mount attached to a LW articulating arm stand that extends area of view and working distance
- 60 LED Ring Light with brightness and 4 sector control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-372 SPZ-50 Stereo Zoom Binocular Microscope on Stand LW & LED Ring Light

SPZ-50 Stereo Zoom Microscope on Stand P with Diffuse Axial LED Illuminator

- Magnification Range: 6.7x to 50x
- Large Zoom Ratio: 7.46:1
- Field of View: 34.3mm to 4.6mm (1.35" to 0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) ► eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator 26800B-384
- Compact lightweight pole stand with focus mount
- Diffuse Axial LED Illuminator, ideal for viewing highly relective parts, eliminates hot spots & reduces glare
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

SPZ-50 Stereo Zoom Binocular Microscope on Stand P w/ Diffuse Axial 26800B-384 Illuminator

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108





26800B-372



Preconfigured Microscope Systems

DSZ-44 Stereo Zoom Binocular Microscope on Stand DABS with LED FOI

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1Field of View: 23-
- 5.2mm (0.91" to 0.2")
 Working Distance: 90mm
- (3.54")
 Includes wide field DSW10x (F.N.23)

eyepieces



- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily over and across objects being viewed
- Tiltable arbor enables you to angle the microscope for maximum comfort and viewing
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-303 DSZ-44 Stereo Zoom Binocular Microscope on Stand DABS with LED Fiber Optic Illuminator

DSZ-44 Stereo Zoom Binocular Microscope on Stand LW with LED Ring Light

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
 Field of View: 23-
- 5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
- Includes wide field DSW10x (F.N.23) eyepieces
- 26800B-308
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Mounted in an E-ARM focus mount attached to a LW articulating arm stand that extends area of view and working distance
- ► 60 LED Ring Light with brightness and 4 sector control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

13

26800B-308 DSZ-44 Stereo Zoom Binocular Microscope on Stand LW with LED Ring Light

See Aven's exclusive article "How to Select the Right Microscope or Video Inspection System"



DSZ-44 Gemscope

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
- Field of View: 23-5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
 Includes wide field DSW10x (F.N.23)
- eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
 26800B-386
- Gemology stand (inclines from 0-10°) with independently controllable fluorescent front light and dimmable halogen pipe light with separate controls
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-386 DSZ-44 Gemscope

DSZV-44 Gemscope

w/1080P HD Camera

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
- Field of View: 23-5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
 Includes wide field DSW10x (F.N.23)
 avaniasas

26800B-323

- 26800B-387
- eyepieces Diopter adjustment on both eyepiece
- Diopter adjustment on both eyepiece tubes
 Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- 1080P HD camera for unsurpassed imagery
- Gemology stand (inclines from 0-10°) with independently controllable fluorescent front light and dimmable halogen pipe light with separate controls
- Multi coated optical components, free from chromatic and spherical aberration
- ► Coarse and fine focusing, ideal for fine detail work
- Monitor helps increase productivity by reducing eye & neck strain

Product ID Description

26800B-387 DSZV-44 Gemscope w/1080P HD Camera

DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam USB 5M CMOS Camera

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
- Field of View: 23-5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Mighty Cam USB 5M CMOS Camera with ezMeasure software
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-323 DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam USB 5M CMOS Camera

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com





Preconfigured Microscope Systems

DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED HD Camera and 8" HD Monitor

- Magnification Range: 10x to 44x
- Zoom Ratio: 4.4:1
- Field of View: 23-5.2mm (0.91"-0.2")
- Working Distance: 90mm (3.54")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- 1080P HD camera for unsurpassed imagery
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration

Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-327 DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED HD Camera and 8" HD Monitor

DSZ-70 Stereo Zoom Binocular Microscope on Stand P with LED FOI

- Magnification Range: 20x to 70x
- Zoom Ratio: 3.5:1
- Field of View: 10-2.8mm (0.39"-0.11")
- Working Distance: 80mm (3.15")
 Includes wide field DSW10xZ
- Includes wide field DSW10X2 (F.N.20) eyepieces
 Diopter adjustment on both eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Compact lightweight pole stand with focus mount
- High Output LED fiber optic illuminator and ring light provide clear illumination for imaging
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-344 DSZ-70 Stereo Zoom Binocular Microscope on Stand P with LED Fiber Optic Illuminator

NSW-20 Stereo Binocular Microscope with Stand PLED

- Magnification: 10x & 20x
- Field of View 10x; 23mm (0.91")
- Field of View 20x: 11.5mm (0.45")
- Working Distance: 113mm (4.45")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-360 NSW-20 Stereo Binocular Microscope with Stand PLED

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

26800B-360

NSW-30 Stereo Binocular Microscope with LW Stand & LED Ring Light



- Magnification: 10x & 30x
- Field of View 10x; 23mm (0.91")
- Field of View 30x: 7.6mm (0.30")
- Working Distance: 107mm (4.21")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Mounted in an E-ARM focus mount attached to a LW articulating arm stand that extends area of view and working distance
- ▶ 60 LED Ring Light with brightness and 4 sector control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-361 NSW-30 Stereo Binocular Microscope with LW Stand & LED Ring Light

NSW-620 Stereo Binocular Microscope with Stand PLED

- Magnification: 6x & 20x
- Field of View 6x; 38.3mm (1.51")
- Field of View 20x: 11.5mm (0.45")
- Working Distance: 82.5mm (3.24")
- Includes wide field DSW10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any operator
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

Product ID Description

26800B-365 NSW-620 Stereo Binocular Microscope with Stand PLED



26800B-365

14



26800B-344

26800B-327

Video Inspection System Lenses

Micro Lens System Zoom 640

- Infinity Optical Design for large depth of field and zoom ratio
- Parfocal throughout zoom range
- Compact design
- High contrast images and vivid colors ►

Aven Micro Lens System produces crisp and clear images that are distortion free and void of chromatic aberration. This lens system comes with detents which allows you to calibrate the lens for measurement repeatability. Comes standard with 1x C mount coupler and 1x objective lens. Total magnification is 0.6x to 4.0x, Field of View is 6 x 8mm at low magnification and 0.8 x 1.2mm at high magnification. Working Distance is 82mm. Additional couplers and objective lenses are available to help you configure a lens system to meet your application.



26700-151

Product ID	Description
26700-151	Micro Lens System Zoom 640

Micro Lens System Zoom 640 with In Line LED Coaxial Illumination

- Inline Coaxial Illumination for highly reflective surfaces
- Infinity Optical Design for large depth of field and zoom ratio
- Parfocal throughout zoom range
- Compact design
- ► High contrast images and vivid colors

Aven Micro Lens System with inline Coaxial Illumination is ideal for applications involving highly reflective surfaces, such as wafers, polished parts and fluids. This lens system will provide even illumination in high magnification applications. This lens system comes with detents which allows you to calibrate the lens for measurement repeatability. Comes standard with 1x C-mount coupler and 1x objective lens and LED illuminator with intensity control. Total magnification is 0.6x to 4.0x, Field of view is 6 x 8mm at low magnification and 0.8 x 1.2mm at high magnification. Working distance is 82mm. Additional couplers and objective lenses are available to help you configure a lens system to meet your application.

Product ID	Description
26700-151-CX	Micro Lens System Zoom 640 with In Line LED Coaxial Illumination

Micro Lens System FM123

- Four Lenses
- Switchable Magnification
- Object stays in focus when switching magnification
- Can be used as a monocular microscope with included 10x eyepiece
- C-Mount Adapter Included

The Micro FM123 lens has four switchable lenses, 0.78x, 1.56x, 2.34x and 3.12x, located in the unit. Simply rotate the head to switch between magnifications. It includes a 10x eyepiece which allows you to use the lens as a monocular microscope with magnification of 7.8x, 15.6x, 23.4x and 31.2x. Using a 1/3" CCD camera and a 19" monitor, the on screen magnification is about 62x, 125x, 188x and 250x subject to 4:3 aspect ratio of both screen and camera chip. For other aspect ratio such as 16:9, these magnifications may change depending on the screen and the camera used. Ideal for high magnification field of view measurement.



²⁶⁷⁰⁰⁻¹⁵¹

Product ID	Description
26700-151	Micro Lens System FM123

Macro Lens System Zoom 7000

- 6:1 zoom ratio
- 6x magnification over focal range of 18mm to 108mm (0.71" to 4.25")
- Working distance 127mm (5") to Infinity
- Compatible with cameras 16.9mm (0.67") or smaller

The Zoom 7000 is a close focusing macro video lens ideal for applications where objects over 25mm (1") in diameter must be imaged. It offers unsurpassed clarity and parfocal zoom

capabilities. Compatible with cameras 2/3"



26700-180

(16.9mm) or smaller. Ideal for quality assurance or assembly applications where easy to view, sharp and true to life magnified image of your product is required.

Product ID	Description
26700-180	Macro Lens System Zoom 7000

Create Your Own Custom Video Inspection System

With a large variety of adapters, auxiliary lenses, cameras, lighting options, video capture cards and stands you can create and order your own customized video inspection system on our website. If you need help creating a custom video inspection system, please call our experienced sales team and let them assist you in creating a tailor made solution that will meet your specific requirements. Whether you are inspecting objects like integrated circuits, solder joints and small parts, or you require magnification for precision assembly we can provide a customized solution to fit your needs.



AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

26700-151-CX





Adapters, Couplers and Objective Lenses

Adapter Plate for Macro Lens Zoom 7000

- Adaptor for Macro Lens Zoom 7000
- For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 46.75mm
- 22.5mm height

Product ID



26800B-430

Description

26800B-430 Adapter Plate for Macro Lens Zoom 7000

Adapter Plate for Micro Lens 640

- Adaptor for Micro Lens 640
- For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 35.25mm
- 24mm height

Produ

26700-


2670	11 0	1 4 5	

6700-151AF

ct ID	Description
151AP	Adapter Plate for Micro Lens 640

C-Mount Coupler 0.5x

- Mounts to Micro Video Lens System Zoom 640
- Reduces magnification by 0.5x



- Can be used with any C-Mount camera
- 26700-156 See optical specification chart for more details

Product ID	Description
26700-156	C-Mount Coupler 0.5x

C-Mount Coupler 1.0x

- Mounts to Micro Video Lens System Zoom 640
- Increases magnification by 1x
- Ideal for with sensors less than 16.9mm (2/3")
- Can be used with any C-Mount camera
- See optical specification chart for more 26700-158 details

roduct ID	Description
6700-158	C-Mount Coupler 1.0x

Objective Lens 0.5x

P 26

- Objective Lens for Micro Video Lens System Zoom 640
- Reduces magnification by 0.5x
- Color corrected lens system
- Working distance 175mm (6.9") See optical specification chart for more
- details

Product ID	Description
26700-162	Objective Lens 0.5x

Objective Lens 0.75x

- **Objective Lens for Micro Video Lens System** Zoom 640
- Reduces magnification by 0.75x
- Color corrected lens system
- Working distance 117mm (4.6")
- See optical specification chart for more details

Product ID	Description
26700-163	Objective Lens 0.75x

Objective Lens 1x

- **Objective Lens for Micro Video Lens System** Zoom 640
- Color corrected lens system
- Working distance 82mm (3.2")
- See optical specification chart for more details

Product ID	Description
26700-164	Objective Lens 1x

26700-164

26700-166

Objective Lens 1.5x

- **Objective Lens for Micro Video Lens System** Zoom 640
- Increases magnification by 1.5x
- Color corrected lens system
- 26700-165 Working distance 54mm (2.1")
- See optical specification chart for more details

Product ID	Description
26700-165	Objective Lens 1.5x

Objective Lens 2x

- Objective Lens for Micro Video Lens System Zoom 640
- Increases magnification by 2x
- Color corrected lens system
- Working distance 35mm (1.4")
- See optical specification chart for more details

Product ID Description

26700-166 Objective Lens 2x

Optical Data Chart

Objective			CCD Coupler	
Magnification	Working Distance		0.5X	1X
	Total Mag.	0.09X0.6X	0.18X1.2X	
0.3X	WD:293mm	FOV(mm)	40X53.336X8	20X26.673X4
0.57	0.5X WD:175mm	Total Mag.	0.15X1X	0.3X2X
0.5X		FOV(mm)	24X323.6X4.8	12X161.8X2.4
		Total Mag.	0.225X1.5X	0.45X3X
0.75X WD:117mm	FOV(mm)	16X21.33-2.4X3.2	8X10.67-1.2x1.6	
11/	M/D 02mm	Total Mag.	0.3X-2X	0.6X-4X
1X WD: 82mm	FOV(mm)	12X16-1.8X2.4	6X8-0.9X1.2	
		Total Mag.	0.45X-3X	.9X-6X
1.5X WD:54mm	FOV(mm)	8X10.67-1.2X1.6	4X5.33-0.6X0.8	
		Total Mag.	0.6X-4X	1.2X-8X
2X WD:35mm	FOV(mm)	6X8-0.9X1.2	3X4-0.45X0.6	

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



1X WD:82

1.5X WD:5



0.5X WI

26700-162

Preconfigured Micro Zoom Video Inspection Systems

Contra St

Micro Zoom Series 640 PK1

- PC not required for image processing
- Produces crisp clear images White LED illumination with intensity control
- Color camera with movable and switchable crosshairs
- On screen menu for controlling color, contrast, white balance etc.
- Heavy Duty Post Stand includes 10 tapped holes for mounting x-y stages
- Compact system, helps save bench space
- On screen magnification: 14.25x to 190x
- Working distance: 82mm with 1x Objective Lens
- Field of view: 6 x 8 to 0.9 x 1.2mm with 1x Objective

Parfocal lens system

Product ID Description 26700-102-00 Micro Zoom Series 640 PK1

Micro Zoom Series 640 PK2

- PC not required for image processing
- Produces stunning clear and crisp HD images White LED Fiber Optic

Illumination provides



- shadow free illumination 1080P Color Camera with HDMI output;
- On screen menu for controlling color, contrast, white balance etc Dual Arm Boom Stand provides stability and eliminates vibrations while allowing you to move over large areas of the object being viewed
- Lens can be angled in any direction for enhanced viewing
- On screen magnification: 19.5x to 263x
- Working distance: 82mm with 1x Objective Lens
- Field of view: 6 x 8 to 0.9 x 1.2mm with 1x Objective
- Parfocal lens system

Product ID Description

26700-102-10 Micro Zoom Series 640 PK2

Micro Zoom Series 640 PK3 Benchtop

Measurement System

- Produces crisp clear images; PC not required for image processing
- White LED Fiber Optic Illumination HD 1080p Color camera

with USB mouse control

and Built In Measurement



- Software Measure lines/distance, circles, arcs, squares, polygon, perimeters, angles, center to center distance
- Compact system, helps save bench space
- On screen magnification: 19.5x to 263x
- Working distance: 82mm with 1x Objective Lens
- Field of view: 6 x 8 to 0.9 x 1.2mm with 1x Objective

Parfocal lens system

Product ID Description 26700-102-15 Micro Zoom Series 640 PK3 Benchtop Measurement System

Micro Series FM123 PK4 Benchtop

Measurement System

- Measure lines/distance, circles, arcs, and polygons
- Produces crisp and clear images
- White LED Fiber Optic Illumination Color camera with USB mouse control and Built in **Measurement Software**
- On screen menu for controlling color, contrast,



- On screen magnification from 44.2x to 176.9x
- Working distance: 64.3mm

white balance etc

- Four switchable lens system: 0.78x, 1.56x, 2.34x, and 3.12x
- Field of view: 6 x 4.5mm @ 0.78x; 3 x 2.2mm @ 1.56x; 2 x 1.5mm @ 2.34x; 1.5 x 1.1mm @ 3.12x

Product ID	Description
26700-102-20	Micro Series FM123 PK4 Benchtop Measurement System

Micro Zoom Series 745 PK1

- Produces crisp clear images
- View object on a large 22" HD
- Color LED Monitor
- Working distance: 46mm
- Field of view: 8.8 to 1.3mm
- On screen magnification from 50x to 340x
- Compact system helps save ► bench space
- White top and bottom LED illumination with intensity control
- 720p VGA color camera with cross hair and on screen menu for controlling color, contrast, white balance etc.

Product ID Description

26700-102-30 Micro Zoom Series 745 PK1

Micro Zoom Series 640 with **Coaxial Illumination PK 5**

- In line coaxial LED illumination helps reduce glare when inspecting shiny parts
- Color HD camera with movable and switchable crosshairs
- On screen menu for controlling color, contrast and white balance
- Parfocal lens system
- Working distance: 46mm
- Field of view: 8.8 to 1.3mm
- On screen magnification from 50x to 340x

Product ID	Description
26700-102-35	Micro Zoom Series 640 with Coaxial Illumination PK 5

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



26700-102-30

26700-102-35



26700-102-00

26700-102-10



Preconfigured Macro Zoom Video Inspection Systems

Macro Series Zoom 7000 PK M1

- Stunning Life Like Picture on 22" HD LCD Monitor
- Large Magnification Range 3.7x to 61.9x
- Large working distance; 117.8 to 304.8mm
- 6:1 zoom allows for quick magnification of area of interest
 Parfocal over entire zoom



- range
 PC not required for image processing
- Heavy Duty Post Stand includes 10 tapped holes for mounting x-y stages

Product ID	Description
26700-103-00	Macro Series Zoom 7000 PK M1

Macro Series Zoom 7000 PK M2

- Stunning Life Like Picture on 22" HD LCD Monitor
- Large Magnification Range 3.7x to 61.9x
- Large working distance; 117.8 to 304.8mm
 Double Arm "Easy Clide"



26700-103-10

- Boom Stand with heavy base for stability Parfocal over entire zoom range
- PC not required for image processing
- 6:1 zoom allows for quick magnification of area of interest

 Product ID
 Description

 26700-103-10
 Macro Series Zoom 7000 PK M2

Macro Series Zoom 7000 PK M3

- Stunning Life Like Picture on 22" HD LCD Monitor
- Large Magnification Range 3.7x to 61.9x
 Large working

distance: 117.8 to

304.8mm

- 6:1 zoom allows for quick magnification of area of interest
- 26700-103-20 rea
- Light weight articulating arm with E-Arm allows users to cover a large working area and move microscope out of the way when not in use
- Parfocal over entire zoom range
- PC not required for image processing

Product ID	Description
26700-103-20	Macro Series Zoom 7000 PK M3

Macro View All in One Scope

- Wide field of view and long working distance
- Two parfocal lenses (10x & 15x)
- Built in 60 LED ring light with intensity control
- 2x Digital Zoom and Mirror function built into camera
- Compact and Easy to Use
- Focus mount includes course and fine adjustment knobs
- On screen Magnification: 10x and 15x; 20x and 30x with optional 2x lens; 40x and 60x with optional 4x lens
- Working distance: 145mm; 69mm with optional 2x lens; 29mm with optional 4x lens
- Field of view: 20 x 15mm at 10x; 13.3 x 10mm at 15x

Product ID	Description
26700-104-00	Macro View All in One Scope

26700-104-00

Auxiliary Lens 2x for Macro All in One Scope

- Increases on screen magnification for Macro View All in One Scope
- Decreases working distance and field of view



Product ID	Description
26700-104-2x	Auxiliary Lens 2x for Macro View All in One Scope

Auxiliary Lens 4x for Macro All in One Scope

- Increases on screen magnification for Macro View All in One Scope
- Decreases working distance and field of view



26700-104-4X

Product ID	Description
26700-104-4x	Auxiliary Lens 4x for Macro View All in One Scope

CCD & CMOS Cameras

Mighty Cam USB 5M CMOS Camera

The Mighty Cam USB 5M CMOS camera includes ezMeasure software which produces stunning images with exceptional clarity for measuring, analyzing and annotating your magnified images. The large 5M CMOS sensor provides excellent color fidelity offering true color out of the box with no need for adjustment. The versatile C/CS lense mount



26100-243

adapter ring attaches between camera and lens, and converts a CS-Mount lens to C-Mount camera to achieve a focused image.

- Provides wide, dynamic range and crisp, natural color reproduction ► in any lighting
- USB 5M CMOS Camera with ezMeasure Software
- 5M CMOS Sensor (2592 x 1944)
- Easy Plug and Play USB 2.0 Interface
- **Compact and Light Weight**
- Versatile C/CS lenses mount
- Ideal for inspection, scientific image analysis, biomedical research

Product ID	Description
26100-243	Mighty Cam USB 5M CMOS Camera

Mighty Cam Connect

The Mighty Cam Connect is a new generation

microscope camera, turning traditional microscopes into wireless inspection systems. The Mighty Cam Connect features a built-in Wi-Fi hotspot that wirelessly broadcasts high quality images in

26100-256

real time to a free app available for iOS and Android devices.

- Live streaming, capture and record video from the Free Wi-Viewer app
- Hardware snapshot button for instantly saving image to all connected devices
- Wi-Fi signal broadcasts up to 10m
- Connect up to 3 iOS/Android devices, share real time image simultaneously
- Active pixel technology for sharp images and accurate color reproduction

Product ID	Description
26100-256	Mighty Cam Connect

Aven VGA Color Camera 720p

Aven's color VGA camera allows connectivity directly to a PC monitor. A PC is not required for image processing thus saving you the cost of a PC and bench space. All features of the digital camera can be controlled via on screen menus such as RGB values, white balance, cross hair, auto exposure, etc.



26100-252

Compact 720p Color Camera with VGA output ►

- Live/Freeze Image Function; Cross Hair for quick gaging
- Produces crisp and clear color images in wide screen format
- Auto gain exposure setting to reduce glare

19

On screen menu for quick access to camera settings

Product ID	Description
26100-252	Aven VGA Color Camera 720p
	·

Aven VGA Color Camera 1.3M w/SD Card

Aven's color VGA camera allows you to connect directly to a PC monitor. A PC not required for image processing, thus saving you bench space. In addition, a built in SD card allows you to save images. All features of this digital camera can be controlled via on screen menus, such as RGB values, white balance, cross hair grid, and auto exposure. 4 Vertical and 4 horizontal cross hair grids available with 6 color selections.

- Compact 1.3M Color Camera with VGA Output
- Built in SD card for saving images
- Live/Freeze Image Function
- Multiple cross hair for quick gaging
- Produces crisp and clear color images in wide screen format

Auto gain exposure	setting to	reduce glare	

Product ID	Description
26100-253	Aven VGA Color Camera 1.3M w/ SD Card

Aven 1080P HDMI Color Camera 2M w/ USB Flash Drive

Aven's 1080P HD color camera allows you to connect the camera directly to a HD monitor with an HDMI input. A PC is not required for image processing, thus saving you bench space. In addition, a built in USB Flash Drive allows you to save images. All features of this digital

26100-253HD

camera can be controlled via on screen menus, such as RGB values, white balance, cross hair grid, and auto exposure.

- Connects directly to an HD monitor with HDMI input
- Built in USB Flash Drive for saving images
- Live/Freeze image function
- Multiple cross hair for quick gaging
- Produces stunning life like images with exceptional clarity
- Product ID Description

26100-253HD Aven 1080P HDMI Color Camera 2M w/ USB Flash Drive

Aven HDMI Color Camera 2.0M w/USB Flash Drive & Built in Measurement Software

Aven's color HDMI camera with built in USB Flash Drive and measurement software, is a simple solution to those that need to inspect and measure with accuracy. A PC is not required for image processing and no software to install. Images with measurement data can be saved to the built in USB Flash Drive using the



26100-254

the following features: Edge Detection, Live/Freeze Image, Measure line, circle, radius, angle and parallel lines.

Compact 720p Color Camera with VGA output ►

remote trigger (included). Built in software includes

- Live/Freeze Image Function; Cross Hair for quick gaging ►
- Produces crisp and clear color images in wide screen format ►
- Auto gain exposure setting to reduce glare
- On screen menu for quick access to camera settings

Product ID	Description	
26100-254	Aven HDMI Color Camera 2.0M w/SD Card	










Imaging & Measurement Software

Measurement Camera Software for 26100-254



Measure and Analyze with Ease

The advanced measurement software is able to detect gray scale gradations and can measure a line, circle, radius, angle and parallel lines in millimeters or inches. Users can save five sets of measurement data on the USB Flash Drive, which simplifies comparisons and recordkeeping. White balance and exposure can be automatic or one-click mouse functions.



Capture High Quality Images

Create enhanced still photos with or without measurement lines and save for further analysis.




Optional Capture Settings

Software allows you to choose which image format to save files in (JPG or BMP) and also measurements you added to the image.

File Camera Setti Camera Pa Factory S	rameters	n Photo	brouser	Language	Help
21		Gatera	iettorgs		×
	LunLnence:			90	· /
	Contrast:	0		0	100
	n:	-0		12	
	6:	-0		12	
	BI	-0		12 🔹	and the second
	H06:	0		0	11 3 10 11
	110	0		0	
	AE			A#8	1 1 1


Camera Settings

The software also allows you to edit all camera settings. Options include luminance, contrast, RGB values, auto exposure and auto white balance.




Edge Detection Tool

Software has an Intelligent Edge detection tool built in for finding boundaries of objects within images. It works by detecting the discontinuities in brightness.



Easy Measurement Calibration

Calibrating the software for measurement is as simple as placing a ruler or other scale under the lens, selecting the size, e.g. 16mm and pressing the Calibrate button.



Magnifying Window

Software digitally magnifies the area around the mouse pointer by 4x, 9x and 16x (selectable). This is particularly helpful when you need to see minute features.

Additional Features


- ▶ Photo Browser displays images saved on USB Flash Drive and can be expanded to full screen for review
- ▶ Measurement results are displayed in the side panel and can be exported and saved on the USB Flash Drive
- Multiple measurement tools such as lines, parallel lines, circles and polygons (plotted with up to 10 points) are available in the Manual tab

* Note: Aven recommends that you use a detented lens system or a microscope with click stops for accurate repeatable measurements.

Imaging & Measurement Software




ezMeasure[®] Software



Measure, Annotate and Analyze with Ease

ezMeasure® software allows you to measure, annotate, and analyze your images with just a few mouse clicks. Create written reports that include the raw data, plus the images involved. With ezMeasure® you can view realtime live images or screenshots from your saved folder which can be reviewed, replayed, and anaylzed. Recent projects are easily accessible with thumbprint menu.




Capture High Quality Images

Create enhanced still photos or record a live video stream for play back.



Simultaneous Live Views

Use two cameras on same work station for side by side live views.




Grid Feature

Locate and compare with ease using multiple grid views.




Customize the Layout

Set the layout to your personal preferences and save your unique settings for future use.



Measurement Tools

- Set the image pixels to real units eg. mm or inches.
- Record and save multiple calibration settings.
- Measure the distances between different points, or edges.



Text Button

Allows annotations directly onto the screen. The user has the ability to adjust the size and the appearance of the text.

Additional Features

- Fill Mode Tool determines the image size: Fit-to-Fill the entire viewing area, Zoomed in, or Preserve the Original aspect ratio.
- ▶ Location Button provides a cursor for the X,Y,Z-axis coordinates. Moving the Cursor with the mouse updates the coordinates.
- And many many more ...

Product ID	Description
26100-406	ezMeasure [®] Software



Fiber Optic Illumination

Model 21 AC Fiber Optic Illuminator

- Compact low profile 150w halogen illuminator
- Quick lamp change
- Stackable

Product ID

Rugged aluminum housing provides maximum durability Adjustable lamp intensity control

Description



26200A-201

26200A-300

illumination

Large fiber bundle ensures maximum light transmission

Fiber Optic Ring Light

High quality glass fiber Provides 360° shadow free

- Accepts polarizers
- Comes with standard 15.875mm (5/8") adapter
- Inner diameter 58.674mm (2.31")

Product ID	Description
26200A-402	Fiber Optic Ring Light

Ring Light - Video Lenses

- High quality fiber
- Provides 360° shadow free illumination
- Large fiber bundle ensures maximum light transmission
- Comes with standard 15.875mm (5/8") adapter
- Inner diameter 28.58mm (1.125")
- Designed for use with Video Lenses

Product ID Description 26200A-403 Ring Light - Video Lenses

Polarizer for Fiber Optic Ring Lights

- Helps reduce glare
- Analyzer sits in
- Counterbore Low profile does not inhibit
- placement of lens or object viewed

Product ID Description 26200A-402P Polarizer for Fiber Optic Ring Light

Illumination for Microscopy & Video Inspection

Aven offers a variety of lighting options. Ecofriendly white LED ring lights are designed to be used with standard microscopes and video lenses providing a stable bright light at a very low temperature. Fiber optic illuminators are often referred to as "cold light" illuminators because they provide high intensity focused light without the heat typically associated with high intensity lamps. Additional options include a ring light with polarizer for shiny surfaces as well as diffuse axial LED illuminator for specular & shiny surfaces.



26200A-403

26200A-402P

www.aveninc.com

26200A-201 Model 21 AC Fiber Optic Illuminator **ProLux LED Fiber**

Optic Illuminator



26200A-523

Longer Life, Half the Energy **Consumption and Reduced Ownership Costs**

Accepts Virtually any Light Guide

Advanced Heat Pipe Technology

Higher Brightness, Better Color,

with Quick Change Adapters

Using Metal Core PCB's

- Linear Light Intensity Control with **Continuous Dimming**
- Maintenance Free LEDs Have a Minimum Lifetime of 25,000 Hours

Product ID Description 26200A-300 ProLux LED Fiber Optic Illuminator

Dual Pipe Light Guide

- High quality fiber
- Large fiber bundle assures maximum light transmission
- Obedient "stay-up" Sheathing for accurate positioning
- Focusable lens on each pipe for individual light control

Product ID	Description
26200A-523	Dual Pipe Light Guide

Fiber Optic Area Backlight - 4 x 4 in

Ideal for high contrast silhoutted images

Product ID

26200A-532

- Highly diffuse even light distribution
- Sleek, slim design provides versitility for mounting in tight space

26200A-532 Description Fiber Optic Area Backlight - 4 x 4 in



LED Illumination

Diffuse Axial LED Illuminator

- Evenly illuminates flat and shinv surfaces
- Enhances scribed, indented or embossed features
- Creates contrast between specular, diffuse and/or absorptive surfaces
- Diminish visibility of clear overcoats or coverings
- Ideal for electronic component inspection

Product ID Description

26200B-220 Diffuse Axial LED Illuminator

Ring Light LED with Integrated Focus Mount

- Integrated LED ring light with focus mount with coarse and fine focus
- Eliminates chance of LED ring becoming loose from the microscope
- Increases working distance
- May be used with standard stand, articulating arm stand or either single or double arm boom stands*

Product ID Description 26200B-207

Ring Light LED with Integrated Focus Mount

Ring Light LED with Polarizer





- LED lights are flicker free, energy efficient and ecofriendly
- Operates at a low temperature and does not change color over time
- Inner diameter is 70mm (2.75") with three thumb screws for easy mounting

Product ID	Description
26200B-214	Ring Light LED with Polarize

Ring Light LED Triple Color

- 120 LEDs. 40 White. 40 Blue and 40 Red
- 7 Step Brightness Control
- **Flicker Free**
- No color change with temperature
- Energy efficient and eco friendly

26200B-213	3
------------	---

Product ID	Description
26200B-213	Ring Light LED Triple Color

* Note: When used with articulating stand, single arm boom stand, or double arm boom stand, an arbor (26800B-521) is required for mounting.

Pro Series 40 LED Ring Light

- ▶ 40 powerful high precision aligned LEDs (white daylight)
- 4 quadrant controller and auto voltage sensing power supply
- Machined aluminum alloy housing for durability
- Fully adjustable dimming control
- 360° shadow free illumination

Product ID	Description
26200B-217	Pro Series 40 LED Ring Light

LED Ring Light w/Brightness and Sector Control

- 60 High Intensity LED Lights
- 7 Step Brightness Control
- 4 sectors and each can be controlled independently
- Flicker Free
- No color change with temperature



26200B-212

26800B-465

Product ID Description 26200B-211 LED Ring Light w/Brightness and Sector Control

LED Ring Light w/Brightness and Sector Control

- 72 High Performance LED Lights
- **Continuous Brightness Control**
- 4 sectors and each can be controlled independently

Flicker Free

No color change with temperature

Product ID Description

26200B-212 LED Ring Light w/Brightness and Sector Control

Ring Light Adapater

- Allows for secure mounting of ring lights to DSZ, NSW and SPZ Series Microscopes
- Screws onto bottom of microscope body

2	6	8	υ	U	B	-4	4	6	U	

Product ID	Description
26800B-460	Ring Light Adapater

Protective Lens Cover

- Glass fitted inside metal ring with threaded screw
- Mounts to bottom of microscope body Useful when soldering under the
- microscope
- Protects fumes from damaging the microscope lenses

Product ID	Description
26800B-465	Protective Lens Cover

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com





26200B-220



26200B-217



26200B-214

26200B-207





Stands & Focus Mounts



Stands & Focus Mounts

Diffuser for Glare Reduction

- Helps reduce glare from shiny objects
- Made from durable plastic material
- Ideal for observing solder joints, metallic parts or shiny surfaces
- Designed for use with 26800B-512 (Stand PLED) and 26200B-207 (Ring Light with Focus Mount)

26200B-209DF2

Product ID Description

26200B-209DF2 Diffuser for Glare Reduction

Pole Stand with Focus Mount

- Base dimensions: 220 x 284 x 15mm (8.66" x 11.18" x 0.59")
- Vertical post length: 250mm (10")
- Light weight compact stand
- Ideal for examining small parts
- Saves bench space
- Includes with rack & pinion focus mount with course and fine adjustment knobs

Product ID Description 26800B-511 Pole Stand with Focus Mount

Light Weight Articulating Arm Stand

Allows great flexibility in positioning

Aluminum and ABS Plastic construction

Light weight and compact design

Product ID Description

microscopes

26800B-555 Light Weight Articulating Arm Stand

Standard Articulating

Easy height adjustment

Arm Stand

- Allows great flexibility in positioning microscopes
- Can be moved out of way when not in use
- All metal construction

Product ID Description

26800B-560 Standard Articulating Arm Stand

LCD Monitor Mount

- Improves productivity with expanded workspace and high ergonomic comfort
- Arms have 360 degree swivel and rotation and -15 to +15 degree tilt adjustment
- Made of high grade steel and aluminum
- Holds Widescreen Display up to 27"
- Heavy duty "C" clamp mounts to desktop providing excellent stability 26700-410

Product ID Description 26700-410 LCD Monitor Mount, 512 Series, Post Height 17-in 26700-411 LCD Monitor Mount, 542 Series, Post Height 12-in

Gemology Stand with Fluorescent and Halogen Illumination

- Independently controllable fluorescent front light provides even shadow free illumination
- Dimmable halogen transmitted and pipe light with separate controls
- 2 post positioning, right and left for adjustable gem tweezers
- Adjustable iris in dark field attachment
- Stand can be inclined from 0 to 10 degree

Product ID Description 26800B-507 Gemology Stand with Fluorescent and Halogen Illumination

Heavy Duty Post Stand

- Base dimension: 279 x 330 x 12.7mm (10.98" x 13" x 0.5")
- Vertical post length: 406mm (15.98")
- Aluminum powder coated base
- 10 tapped holes for mounting x-y stages
- UNC bolt and safety clamp included
- Vertical post will accept focus mount (26800B-517) to which bodies SPZH, SPZ series, DSZ series and NSW series can be mounted

Product ID Description

26800B-570 Heavy Duty Post Stand

Focus Mount

Coarse & Fine Focus Adjustments Precision Rack & Pinion Mechanism with Tension Control

26800B-517

26800B-518

26800B-570

74mm diameter ring Will accept our SPZH, SPZ, DSZ and NSW series microscopes

Product ID Description 26800B-517 Focus Mount

E-Arm Focus Mount

- **Rack & Pinion Mechanism with** Coarse Focus Adjustment
 - 50mm focusing distance in vertical direction
- 74mm diameter ring
- Mounts to any of our boom stands or articulating arm stands

Product ID	Description	
26800B-518	E-Arm Focus Mount	
Tiltable A	rbor	I
5	to extend the working range tands and articulating arm	
Allows tilt	ing of microscope bodies to	26800B-521

Allows tilting of microscope bodies to increase operator comfort

Product ID	Description
26800B-521	Tiltable Arbor

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com




25



26800B-507





26800B-560





Gliding Stages & Eyepieces

Gliding Stage w/Micrometer Adjustments

- Enables attachment of micrometer for accurate measurement
- Stage measures 114 x 114mm
- 25 x 25mm travel



Microscope Eyepiece 10x with 10:100mm Scale

- 10x magnification power
- 10:100mm scale reticle
- Excellent for measurement
- High Eye-point Design

High Eye-point Design

Product ID

26800B-456

20mm Super Wide Field of View

Microscope Eyepiece 10x with 20x20 0.5mm Squares 10x magnification power

20x20, 0.5mm squares reticle

20mm Super Wide Field of View

Description

Excellent for measurement High Eye-point Design

Description

Microscope Eyepiece 10x with 5:100mm scale

20mm Super Wide Field of View



26800B-456

26800B-457

Product ID	Description	Product ID	Description	
26800B-471	Gliding Stage w/Micrometer Adjustments	26800B-455	Microscope Eyepiece 10x wit	h 10:100mm scale
-	age-Small		e Eyepiece 10x Imm Scale	\frown
to be mo microsco	bbserving parts that need wed while under the pe	▶ 5:100mm	ification power scale reticle for measurement	

- Provides smooth movement in x and y axis
- Measures 140 x 114mm
- 94 x 114mm travel

26800B-472

Product ID	Description
26800B-472	Gliding Stage-Small

Gliding Stage w/95mm **Ring Mount**

- Smooth motion for precise specimen placement
- Anodized black metal and glass components
- Glass top with interior Y and exterior X unit measurements
- Coaxial dial system for easy and accurate operation
- Useful for dissection and circuit board inspection

duct ID	Description
00B-477	Gliding Stage w/95mm Ring Mount

Gliding Stage-Large

- Precision-machined bevelcut gearing
- Fine, controlled movement along the entire 300x200mm travel in the X-Y axis



26800B-478

- Black anodized finish
- Ideal for smooth and controlled movement of parts underneath a microscope

Product ID	Description
26800B-478	Gliding Stage-Large

26800B-477

- **Microscope Eyepiece 10x** with 10x10 1mm Squares 10x magnification power 10x10, 1mm squares reticle Excellent for measurement
 - High Eye-point Design
 - 20mm Super Wide Field of View





Microscope Eyepiece 10x with 10:100mm Scale Cross Hair

- 10x magnification power
- 10:100mm scale cross hair reticle
- Excellent for measurement

P

- High Eye-point Design 20mm Super Wide Field of View

Product ID	Description
26800B-459	Microscope Eyepiece 10x with 10:100mm Scale Cross Hair

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

26800B-459

Product ID 26800B-457

Eyepieces & Auxiliary Lenses



Magnifiers

Inspection Loupes, Magnifiers & Magniloupes

Swing Out Inspection Loupe 10x Hex

- Triplet lens system corrected for spherical and chromatic aberrations
- Produces a sharp and distortion free image
- 10x magnification

26010

26011

26012

Product ID

26051

Product ID Description

Swing Out Inspection Loupe 10x Hex

- Swing Out Inspection Loupe 10x Distortion free, three piece, bonded lens
- Made from optical glass
- 10x eye loupe with 1" working distance Chrome finish loupe easily folds up to
- protect lens Includes leather carrying case

Product ID Description

Swing Out Inspection Loupe 10x

Swing Out Inspection Loupe 20x

- Distortion free, three piece, bonded lens
- Made from optical glass
- 20x eye loupe with 1/2" working distance ►
- Chrome finish loupe easily folds up to protect lens ►
 - Includes leather carrying case

Product ID Description

Swing Out Inspection Loupe 20x

Magnifier 10x

- Pre-focused dual lenses allow examination of objects close-up
- Transparent acrylic base permits ambient light to illuminate the object
- Powerful 10x magnification
- Ideal for model makers, stamp and coin collectors, and photography

Description

Magnifier 10x

26051

Magniloupe w/Cushion

- Lightweight glass lens magnifier
- Soft rubber cushion provides comfor during use
- Powerful magnification
- Excellent for close inspection of small parts
- Ideal for use by jewelers, photographers, watchmakers, printers, and quality control inspectors

Product ID	Description
26041	8x Magniloupe w/Cushion
26042	7x Magniloupe w/Cushion
26043	4.5x MagniLoupe w/Cushion

Eye Loupe 10x

- Lightweight & sturdy glass lens magnifier
- Powerful 10x magnification
- Excellent for close inspection of small parts
- Rests comfortably in the eye socket Ideal for use by jewelers,
- photographers, watchmakers, printers, and quality control inspectors

Product ID	Description
26034	Eye Loupe 10x

Eye Loupe 10x with LED Light

- Lightweight glass lens magnifier
- Powerful 10x magnification
- Excellent for close inspection of small parts
- Adjustable, bright LED light
- Ideal for use by jewelers, photographers, watchmakers, printers, and quality control inspectors

User Pairs Mighty Scope with a Low-Tech Companion

Performance matters more than size, as our popular Mighty Scope Digital Microscope shows.

We and our sales representatives hear manufacturing engineers praise the handheld scope's convenience for inline inspection, image and video capture, and monitor viewing via USB or the Wi-Fi model. The latest field report comes from a user who called to describe how he previously used an eye loupe with a scale-measuring reticle for parts check to assure that any defects are within tolerances.

Cleverly, he now pairs a newly purchased Mighty Scope 5M with his original tool to combine the loupe's scale with our instrument for a close-up, measurable view illuminated with six LEDs. The Mighty Scope can capture that combined image for reference and sharing.



26034-LED

26034















26010







Magnifiers

Eye Loupes & Pocket Microscopes



26800C-534

Pen Type Microscope 25x w/LED Light

- Perfect "pen-type" microscope with 25x magnification
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
 Provides distortion free inverted
- image
- Ideal for inspection in electronics, medical, printing, and jewelry industries

26800C-550

Product ID Description

26800C-550 Pen Type Microscope 25x w/LED Light

Pen Type Microscope 50x w/LED Light

- Perfect "pen-type" microscope with 50x magnification
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
- Provides distortion free inverted image
- Ideal for inspection in electronics, medical, printing, and jewelry industries

26800C-551

26800C-552

26800C-553

Product ID Description 26800C-551 Pen Type Microscope 50x w/LED Light

Pen Type Microscope 25x w/LED Light & Scale

- Perfect "pen-type" microscope with 25x magnification and includes reticle scale
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
- Provides distortion free inverted image
- Ideal for inspection in electronics, medical, printing, and jewelry industries

Product ID	Description

26800C-552 Pen Type Microscope 25x w/LED Light & Scale

Pen Type Microscope 50x w/LED Light & Scale

- Perfect "pen-type" microscope with 50x magnification and includes reticle scale
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
 Drovides distortion free invested
- Provides distortion free inverted image
- Ideal for inspection in electronics, medical, printing, and jewelry industries

		<u></u>
D	Description	

26800C-553 Pen Type Microscope 50x w/LED Light & Scale

Pocket Microscope 40x w/ illumination

- Perfect carry-with microscope with magnification of 40x
- Eyepiece has scale with 0.1mm graduation and a measurement range of 4mm
- Operates on two AA batteries (not included)
- Useful for engineers, tool makers and quality control inspectors

Product ID Description

26800C-534 Pocket Microscope 40x w/illumination

Pocket Microscope 40x w/ illumination

- Perfect carry-with microscope with magnification of 40x
- Eyepiece has scale with 0.05mm graduation and a measurement range of 2mm
- Operates on three AA batteries (not included)
- Useful for engineers, tool makers and quality control inspectors

26800C-541

Product ID Description


26800C-541 Pocket Microscope 40x with LED illumination

Pocket Microscope 60-100x w/ LED illumination

- Perfect carry-with microscope with magnification of 60-100x
- Focus wheel allows you to quickly focus onto the object being viewed
- Operates on three LR1130 Button Cell batteries (not included)
- Useful for engineers, tool makers and quality control inspectors
 26800C-542

Product ID Description

26800C-542 Pocket Microscope 60-100x with LED illumination



Pen Type Microscope Scale Etched into the eyepiece with graduations of 0.05mm 26800C-552 & 26800C-553

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Product II



Magnifiers

26221

Headband Magnifiers

OptiVisor Headband Magnifiers

- Optical glass prismatic lenses ground and polished to precision optical standards
- Adjustable pivots allow the visor to be tilted out of the way when not needed and at your fingertips when you need magnification
- Adjusts to fit all head sizes

Replacement Lenses 1.5x - 3.5x Replacement

> Optical glass prismatic lenses ground and

polished to precision optical

Product ID

26101

26102

26103

26104

26105

26106

26110

26111

26112

Lenses

standards

High impact visor provides a tough, durable, always-new appearance

OptiVisor Headband Magnifier - 1.5x

OptiVisor Headband Magnifier - 1.75x

OptiVisor Headband Magnifier - 2x

OptiVisor Headband Magnifier - 2.5x

OptiVisor Headband Magnifier - 2.75x

OptiVisor Headband Magnifier - 3.5x

Padded orthopedic felt adds to comfort

Description

Headband Magnifier with LED Light

Excellent for quality control inspection

Removable LED lamp can be used as a free standing light source

- Includes four clip-on lenses (1.5x, 2x, 2.5x, and 3x)
- Headband is adjustable to fit all sizes
- Ideal for close up inspection of small parts

Product ID	Description
26221	Headband Magnifier with LED Light

OptiSight Headband Magnifier

- Visor can be worn over
- Prescription or safety glasses
- Durable high-strength plastic
- Interchangeable lenses 1.75x, 2x, 2.5x
- Visor design shields out unwanted glare
- Precision optical grade acrylic prismatic lens.

Product ID	Description
26224	OptiSight Headband Magnifier

OptiVue Headband Magnifier - 2.5x

- Provides hands-free
- magnification Visor tilts up for normal viewing
- Includes 2.5x crystal clear acrylic lens
- Adjustable headband fits any size

Product ID	Description
26225	OptiVue Headband Magnifier - 2.5x

Register online to receive updates on the newest products and for the latest specials from Aven.

Magnifier	26107
Product ID	Description
26107	Replacement Lens #2 - 1.5x
26108	Replacement Lens #3 - 1.75x
26109	Replacement Lens #4 - 2x

Replacement Lens #5 - 2.5x

Replacement Lens #7 - 2.75x

Replacement Lens for Optivisor Headband

26112	Replacement Lens #10 - 3.5x

Auxiliary Lens - 2.5x

- Attaches to the front of Optivisor headband magnifier
- Mounts on one side of the lens plate to provides an additional 2-1/2X magnification
- Pivots out of the way when not needed

26113

Product ID	Description
26113	Auxiliary Lens - 2.5x

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



26225



26101

Magnifying Lamps

ProVue Lamps & Accessories

ProVue Magnifying Lamp

- Available in three configurations with different lighting and magnifications
- 5" crystal clear glass lens for 360° distortion-free viewing
- 45" spring balanced arm stays set in any position
- Heavy-duty metal mounting clamp with 63.5mm (2.5") opening

26501-LED

- Fluorescent model features 22 Watt bulb operating at 6400k
- LED models feature 45 high powered energy efficient SMD LEDs lights that provide shadow free illumination
- LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC

Product ID	Description	Lighting	Magnification
26501-SIV	ProVue Magnifying Lamp	22W fluorescent	2.25x (5 diopter)
26501-LED	ProVue LED Magnifying Lamp	45 SMD LED	2.25x (5 diopter)
26501-LED-8D	ProVue LED Magnifying Lamp	45 SMD LED	3x (3 diopter)

ProVue Magnifying Lamp LED with **Rolling Stand**

Same features as our 26501-LED except mounted on our heavy duty floor stand with casters

26501-LED-STN

Product ID	Description
26501-LED-STN	ProVue Magnifying Lamp LED with Rolling Stand

ProVue Deluxe Magnifying Lamp

- Available in two configurations with different lighting
- 5" 2.25x(5 diopter) crystal clear glass lens for 360° distortion free viewing
- 35" heavy duty resistive arm stays set in any position
- Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- Fluorescent model features 22 Watt bulb operating at 6400k
- LED models feature 45 high powered energy efficient SMD LEDs lights that provide shadow free illumination
- LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC

31

Product ID	Description	Lighting	Magnification
26501-DSG	ProVue Deluxe Magnifying Lamp	22W fluorescent	2.25x (5 diopter)
26501-DSG-LED	ProVue Deluxe Magnifying Lamp	45 SMD LED	2.25x (5 diopter)

22-watt Replacement Bulb

- Replacement bulb for 26501-SIV and 26501-DSG
- Universal standard fluorescent light
- Energy efficient
- Rated lifetime of 12,000 hours

Product ID	Description
26501-B22	22-watt Replacement Bulb

Replacement Board with 45 LEDs

- Energy efficient 45 SMD LED board
- **Replaces LED board on Aven ProVue** LED magnifying lamps (26501-LED & 26501-LED-8D)
- Minimum lifetime of 20,000 hours

26501-RBLED

Product ID	Description
26501-RBLED	Replacement Board with 45 LEDs

Auxiliary Lens - 3-Diopter (1.75x)

- Provides additional magnification
- 3.875" 1.75x (3 diopter) auxiliary lens
- Designed to attach to bottom of Aven 26501-DSG magnifying lamp

26501-AL3

Product ID	Description
26501-AL3	Auxiliary Lens - 3-Diopter (1.75x)

Swing-Away Lens - 5-Diopter (2.25x)

- Provides additional magnification
- 5 diopter (2.25x)
- Works with all magnifying lamps

26501-SLA

Product ID Description

Swing-Away Lens - 5-Diopter (2.25x) 26501-SLA

ProVue Replacement Clamp

- Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- Mounts easily to desk or table top
- Fits ProVue magnifying lamps

26501-RC

Product ID	Description
26501-RC	ProVue Replacement Clamp

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



26501-B22





26501-DSG



ProVue Slim LED Magnifying Lamp

- 45 high performance energy saving LED for shadow free illumination
- SMD technology ensures reliability and long life
- 4.75" 2.25x (5 Diopter) crystal clear glass lens for 360 degree distortionfree viewing



26502-LED

- 32" (812mm) spring balanced arm stays put in any position
- Integrated handle for quick and easy positioning
- Integrated lens cover helps protect lens when not in use
- Heavy duty metal clamp with 63.5mm (2.5") opening
- LED lights are rated for over 20,000 hours of use
- Unit operating range 110 to 220V

Product ID	Description
26502-LED	ProVue Slim LED Magnifying Lamp

ProVue Slim LED Magnifying Lamp with Rolling Stand

Same features as our 26502-LED except mounted on our heavy duty floor stand with casters



26508-LED

26502-LED-STN



ProVue Touch Magnifying Lamp w/ LED Illumination

- 54 powerful energy saving white SMD LEDs provide shadow free illumination
- SMD technology ensures reliabilty and long life
- Large 7" crystal clear 1.75x (3 diopter) glass lens with protective cover
- Touch sensitive 3-stage onoff switch for controlling light intensity
- Rugged ABS plastic housing attached to a 35" industrial grade spring balance arm for precise positioning
- Lens can be easily removed and replaced when necessary
- Built-in metal grips for guick and easy positioning
- Heavy duty metal mounting clamp with 89mm (3.5") opening
- LED lights are rated for over 20,000 hours of use
- Unit operates at 115 to 240wv VAC

	iption
26508-LED ProVue	e Slim LED Magnifying Lamp

Magnifying Lamps

ProVue Slim & Touch LED Magnifying Lamps

ProVue Touch White & UV LED Magnifying Lamp

- Dual lighting provides 54 powerful energy saving white SMD LED lights and 48 SMD UV LED lights (400nm)
- UV lighting ideal for forensic analysis, counterfit inspection and detection of fluoresces in adhesives. laminates and conformal coating
- SMD technology ensures reliability and lona life
- Large 7" crystal clear 1.75x (3 diopter) glass lens with protective cover
- Touch sensitive 3-stage on-off switch for controlling light intensity
- Rugged ABS plastic housing attached to a 35" industrial grade spring balance arm for precise positioning
- Lens can be easily removed and replaced when necessary
- Built-in metal grips for quick and easy positioning
- Heavy duty metal mounting clamp with 89mm (3.5") opening
- LED lights are rated for over 20,000 hours of use
- Unit operates at 115 to 240 VAC

Product ID Description

26508-LDV ProVue Touch White & UV LED Magnifying Lamp

Floor Stand Heavy Duty with

Castors

- 5 full swivel castors for easy mobility
- Designed for durability
- Easy to clean, no maintenance required
- Provides full mobility for magnifying lamp applications in beauty salons, the medical field, electronics repair, dental clinics, industrial inspection, scientific research laboratories and even at home
- Works with all Aven magnifying lamps except the 26501-DSG and 26501-DSG-LED



26508-LDV

Product ID Description 26509-STN

Floor Stand Heavy Duty with Castors

Register online to receive updates on the newest products and for the latest specials from Aven.

Magnifying Lamps

Mighty Vue Lamps & Accessories

AVEN

26505-SIV

Mighty Vue Magnifying Lamp-LED

- Durable safe mar-resistant plastic housing
- Large 7" x 6" 1.75x (3 diopter) lens
- 36 high-powered energy efficient SMD LEDs provide shadow-free illumination
- 32" spring balanced arm stays put in any position
- Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC

Product ID Description

26505-LED Mighty Vue Magnifying Lamp-LED

Mighty Vue Magnifying Lamp LED with Rolling Stand

 Same features as our 26505-LED except mounted on our heavy duty floor stand with casters

26505-LED-STN

Product ID Description

26505-LED-STN Mighty Vue Magnifying Lamp LED with Rolling Stand

Mighty Vue Magnifying Lamp ESD Safe

- Available in three configurations with different lighting and magnifications
- Large 7" x 6" lens
- Durable ESD safe mar-resistant plastic housing
- 32" spring balanced arm stays put 26505-ESL-5D in any position
- Heavy-duty ESD safe metal mounting clamp with 63.5mm (2.5") opening
- Fluorescent model features two 9 Watt bulbs operating at 6400k
- LED models feature 36 high powered energy efficient SMD LEDs lights (18 per side) that provide shadow free illumination
 LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC

Product ID	Description	Lighting	Magnification
26505-ESD	Mighty Vue Magnifying Lamp ESD Safe	9w fluorescent	1.75x (3 diopter)
26505-ESL	Mighty Vue Magnifying Lamp ESD Safe	36 SMD LED	1.75x (3 diopter)
26505-ESL-5D	Mighty Vue Magnifying Lamp ESD Safe	36 SMD LED	2.25x (5 diopter)

Mighty Vue Magnifying Lamp

- Durable mar-resistant plastic housing
- Large 7" x 6" 1.75x (3 diopter) lens
- Two 9W Fluorescent bulbs operating a 6400K
 73" apping belonged arm store put in an
- 32" spring balanced arm stays put in any position
- Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- Unit operates at 115 VAC

			*
Ρ	roduct ID	Description	
26	6505-SIV	Mighty Vue Magnifying Lamp	
9	Watt Rep	lacement Bulb	
	9 Watt Rep Magnifiers	lacement bulb designed for Mighty Vue	
Color temperature 6400K			
	Energy efficient fluorescent	cient universal standard light	26505-B09

Product ID Description

26505-B09 9 Watt Replacement Bulb

Replacement Clamp - 26505-SIV

- Replacement Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- Mounts easily to desk or table top
- Fits Mighty Vue 26505-SIV and 26505-LED magnifying lamps

26505-RC

26505-RC-ESD

26507-SBK

Product ID Description 26505-RC Replacement Clamp - 26505-SIV

Replacement Clamp - 26505-ESD

- Replacement Heavy-duty metal mounting clamp with 63.5mm (2.5") opening
- Mounts easily to desk or table top
- Fits Mighty Vue 26505-ESD and 25505-ESD-5D magnifying lamps

Product ID	Description
26505-RC-ESD	Replacement Clamp - 26505-ESD

OptiVue LED Magnifying Desk Lamp

- Combines function and form in one small package
- Powerful energy efficient 24 SMD LEDs provide shadow-free illumination
- ▶ 3.5" 2.25x (5 Diopter) lens
- Lens cover helps protect lens when not in use
- Flexible gooseneck arm

Product ID	Description
26507-SBK	OptiVue LED Magnifying Desk Lamp

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fa<u>x: 734.973.0097 | www.aveninc.com</u>





26505-LED

Work Lights

Machine Tool LED Task Lamps & Accessories

AVEN

Sirrus Task Light LED w/ Swivel Head, 500mm Flex Arm & Mounting Clamp

- 500mm flexible arm stays set in any position to provide direct light where needed
- High intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications

Product ID Description

26526 Sirrus Task Light LED w/ Swivel Head, 500mm Flex Arm & Mounting Clamp

Sirrus Task Light LED High Intensity Fixed Focus with 500mm Flex Arm and Mounting Clamp

- 500mm flexible arm stays set in any position to provide direct light where needed
- High intensity energy saving LED
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications

Product ID Description

26527	Sirrus Task Light LED High Intensity Fixed Focus with 500mm Flex Arm and Mounting Clamp
-------	---

Sirrus LED Lamp w/ Aluminum Head, 500mm Flex Arm & Mounting Clamp

- 500mm flexible arm stays set in any position to provide direct light where needed
- High intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications

Product ID Description

26528 Sirrus LED Lamp w/ Aluminum Head, 500mm Flex Arm & Mounting Clamp

Sirrus Magnetic Base

- Magnetic Base for Sirus LED task lights 26526, 26527, 26528
- Four screw holes provided to allow you to screw the task light to the base
- Allows for secure yet mobile placement on magnetic surfaces such as metal benches or cabinets
 26520-MB

 Product ID
 Description

 26520-MB
 Sirrus Magnetic Base

Machine Tool LED Task Light with Magnetic Base & 18" Flexible Arm

- Durable metal shade with black finish
- 24 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Strong magnetic base

26526

26527

Flexible Arm for precise positioning

Product ID Description

26530-LED Machine Tool LED Task Light with Magnetic Base & 18" Flexible Arm

Machine Tool LED Task Light Compact with 18" Flexible Arm

- Durable and compact lamp shade with black exterior
- 10 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Flexible Arm for precise positioning

Product ID Description

26531-LED Machine Tool LED Task Light Compact with 18" Flexible Arm

Machine Tool LED Task Light Domed with 36" Flexible Arm

- Durable and compact lamp shade with black exterior
 10 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)

Flexible Arm for precise positioning

Product ID Description

26532-LED Machine Tool LED Task Light Domed with 36" Flexible Arm

Machine Tool LED Task Light Domed with 23" Flexible Arm

- Durable and compact lamp shade with black exterior
- 10 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life 26533-LED (minimum 20,000 hours)
- Flexible Arm for precise positioning

Product ID Description

26533-LED Machine Tool LED Task Light Domed with 23" Flexible Arm

26528



26530-LED

26531-LED

26532-LED

Hand Tools

Alignment Tools & Screwdrivers

Ceramic Alignment Screwdrivers

- Anti Static, non magnetic, non inductive heat resistant ceramic tips
- Heat resistant up to 1292°F (700°C)
- Blades made from Zirconia ceramic
- Outlasts metal or plastic tip tools
- No eddy current loss in high frequency

Product ID	act ID Description		Tip Size
13220	Ceramic Alignment Screwdriver	Phillips	PH1.7
13221	Ceramic Alignment Screwdriver	Slotted	1.3 mm
13222	Ceramic Alignment Screwdriver	Slotted	2.6mm
13224	Ceramic Alignment Screwdriver	Slotted	0.9mm
13225	Ceramic Alignment Screwdriver	Slotted	1.8mm
13230	Ceramic Alignment Screwdriver 4-in-1	Phillips & Slotted	Phillips 0 & 1.7 Slotted 1.8 & 0.9mm

Ceramic Alignment Screwdriver - 6-Piece Set

- Anti Static, non magnetic, non inductive heat resistant ceramic tips
- Heat resistant up to 1292°F (700°C)
- Blades made from Zirconia ceramic
- Outlasts metal or plastic tip tools

Description

No eddy current loss in high frequency

13231

13016

13225

13231 Ceramic Alignment Screwdriver - 6-Piece Set

9-Piece Anti-Static Alignment Tool Kit

Anti-Static

13016

Product ID

- Designed for adjusting and aligning conventional components Includes 9 popular alignment
- tools

Product ID Description

9-Piece Anti-Static Alignment Tool Kit

Precision Screwdriver - 8-Piece Set

- Ergonomically designed handle with swivel head cap for precise control and comfort Two component handle provides soft
 - touch and non slip surface and is oil and
- Blade made from high grade alloy steel Supplied in a handy plastic case for secure
- storage

Product ID Description

solvent resistant

13715 Precision Screwdriver - 8-Piece Set

Precision Screwdriver - 7-Piece Set

- Chrome Vanadium steel with satin finish and black tips
- Duplex Component handle is designed for rapid rotation and control
- Fast turning swivel caps
- Imprinted sizes on handle for easy selection
- 50mm Blade Length

Product ID Description Precision Screwdriver - 7-Piece Set

Aven Precision Screwdrivers

- Precisely machined hardened black tips for durability and exact fit
- Screwdriver blades manufactured from chromemolybdenum steel for extra strength
- Ergonomically designed bi-component handle with swivel cap for extra comfort and grip

Product ID	Description	Blade	Size	Length	Overall Length
13901	Precision Screwdriver	Slotted	1.6mm	50mm	150mm
13902	Precision Screwdriver	Slotted	2.0mm	50mm	150mm
13903	Precision Screwdriver	Slotted	2.4mm	50mm	150mm
13904	Precision Screwdriver	Slotted	3.0mm	50mm	150mm
13906	Precision Screwdriver	Slotted	3.0mm	100mm	200mm
13910	Precision Screwdriver	Phillips	No. 000	50mm	150mm
13911	Precision Screwdriver	Phillips	No. 00	50mm	150mm
13913	Precision Screwdriver	Phillips	No. 1	50mm	150mm
13915	Precision Screwdriver	Phillips	No. 1	100mm	200mm
13921	Precision Screwdriver	Torx	Т6	50mm	150mm
13923	Precision Screwdriver	Torx	Т8	50mm	150mm
13930	Precision Nutdriver	-	M3.0	72mm	172mm
13932	Precision Nutdriver	-	M4.0	72mm	172mm
13933	Precision Nutdriver	-	M4.5	72mm	172mm
13935	Precision Nutdriver	-	M5.5	72mm	172mm

Precision Screwdriver - 6-Piece Set

- **Screwdriver features Rotative Caps** Two-component construction for soft
- touch and non-slip surface Environmentally friendly and recyclable materials
- Heat treated high grade allow steel blades with blackened tips

Product ID Description

13722 Precision Screwdriver - 6-Piece Set

8 Piece Reversible Screwdriver Set

- Neo Microtip screwdriver handle features rotating cap
- Two-component construction for soft touch and non-slip surface
- Made from environmentally friendly and recyclable materials
- Heat treated high grade alloy steel blades with blackened tips

Product ID Description

13722 Precision Screwdriver - 6-Piece Set

Register online to receive updates on the newest products and for the latest specials from Aven.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



13901

13722

13941

13940

13715

13940

Hand Tools

10355

10355-ER


10356

Stainless Steel Wrenches, Cutters & Pliers



Adjustable Wrench - Stainless Steel

Manufactured from 304 series stainless steel



- Handle hole for tethering,
- hanging or storage
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit

Product ID	Description
21190-6	Adjustable Wrench 6" Stainless Steel
21190-8	Adjustable Wrench 8" Stainless Steel
21190-10	Adjustable Wrench 10" Stainless Steel
21190-12	Adjustable Wrench 12" Stainless Steel

Adjustable Wrench - Stainless Steel w/ PVC Grip

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent rust resistance
- Cushion-grip handle
- Handle hole for tethering, hanging or storage

Product ID	Description
21190-6G	Adjustable Wrench 6" w/PVC Grip
21190-8G	Adjustable Wrench 8" w/PVC Grip
21190-10G	Adjustable Wrench 10" w/PVC Grip
21190-12G	Adjustable Wrench 12" w/PVC Grip

Combination Wrench - Stainless Steel

- Manufactured from 304 series stainless steel
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit
- Rust resistant, can help eliminate risk of ferrous contamination

21187-0516

21187-105

Product ID	Description
21187-0516	Combination Wrench Stainless Steel 5/16"
21187-0308	Combination Wrench Stainless Steel 3/8"
21187-0716	Combination Wrench Stainless Steel 7/16"
21187-0102	Combination Wrench Stainless Steel 1/2"
21187-0916	Combination Wrench Stainless Steel 9/16"
21187-0508	Combination Wrench Stainless Steel 5/8"

Combination Wrench - Stainless Steel - 6-Piece Set

- Made from 304 series stainless steel
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit
- Rust resistant, can help eliminate risk of ferrous contamination
- Includes handy roll up plastic pouch

Product ID Description 21187-105 Combination Wrench Set Stainless Steel 6pc

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Diagonal Cutter - Stainless Steel 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for long lasting performance
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit

Product ID	Description
10355	Diagonal Cutter - Stainless Steel 6"

Diagonal Cutter w/Comfort Grip Handles 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for long lasting performance
- Ergonomically designed grips for extra comfort

Product ID Description

Diagonal Cutter w/Comfort Grip Handles 6" 10355-ER

Diagonal Cutter "High Leverage" Stainless Steel 7"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Provides more cutting power than general purpose pliers
- Beveled cutting edge is hardened for long lasting performance
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit

Product ID Description 10356 Diagonal Cutter "High Leverage" Stainless Steel 7"

Flat Nose Parallel Action Pliers 6.75"

- Serrated Jaws with V-Slot for holding wire
- Grip remains consistently parallel along full length of jaw when open or closed
- Compound lever action with no spring
- 10766 Built-in wire cutter cuts soft wire up to 4mm (0.16")

Product ID Description 10766

Flat Nose Parallel Action Pliers 6.75"

Groove Joint Pliers Stainless Steel 9.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Slip-resistant tongue and groove design used for grasping and turning
- Serrated jaws with four adjustable positions
- Can be autoclaved to temperatures up to 250 degrees Fahrenheit

	Product ID	Description
Ī	10365	Groove Joint Pliers Stainless Steel 9.5"



10365

21190-6

21190-10G

Stainless Steel Pliers





AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



Crimping Tools & Scissors

11014

11016

11022

Crimping Tool for Wire Ferrules

- For use with 22 to 6 AWG wire
- Replaceable dies
- Built in ratchet applies correct pressure to ensure a complete crimp
- Durable steel construction and hardened dies to ensure reliability and longevity
- ABS grips make this tool comfortable and easy to use

Product ID	Description
10178	Crimping Tool for Wire Ferrules 12 to 22 AWG
10179	Crimping Tool for Wire Ferrules 6 to 10 AWG

2-in-1 Combination Scissor

- Easily trim materials such as nylon fiber, cabtire cord, Kevlar etc.
- Gives you a fine flush cut
- Notched blades prevent the material to be trimmed from slipping
- U-types notches on the blade allows you to hold items such as copper wire, cabtire or insulated cords etc. firmly in place
- Stainless Steel with blade hardness of HRC 54

Product ID	Description
11080	2-in-1 Combination Scissor

2-in-1 Heavy-Duty Combination Scissor

- Easily trim materials such as nylon fiber, cabtire cord, Kevlar etc.
- 3mm thick blade gives you a fine flush cut
- Notched blades prevent the material to be trimmed from slipping

 U-types notches on the blade allows you to hold items such as copper wire, cabtire or insulated cords etc. firmly in place

Stainless Steel with blade hardness of HRC 56-60

Product ID	Description
11081	2-in-1 Heavy-Duty Combination Scissor

5" Electrician Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Scraper and file on back edge of the blade
- Notched to strip 23 to 19 AWG wire

Product ID	Description
11012	5" Electrician Scissor

4-1/2" Slim Blade Straight Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Precision scissor for cutting fine wire and general use
 1-1/4" durable stainless steel blade
- Product ID Description

11014	4-1/2" Slim Blade Straight Scissor

4-1/2" Precision Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- ▶ Fine beaks for precise and delicate work
 - 1-3/8" durable stainless steel blade

Product ID	Description
11016	4-1/2" Precision Scissor

7" All Purpose Standard Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- 3-1/4" durable stainless steel blade

~/		
Product ID	Description	
11022	7" All Purpose Standard Scissor	
 Fully polish excellent c 	ose Standard Scissor ed stainless steel provides orrosion resistance	20
▶ 3-3/4" dura	ble stainless steel blade	11023
Product ID	Description	

Product ID	Description
11023	8" All Purpose Standard Scissor

Register online to receive updates on the newest products and for the latest specials from Aven.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108




11080

11081

11012

Hemostats & Probes

Probe Straight Needle Point



- Sharp tip for precision work around delicate circuits and components
- Eight sided handle to ensure grip and prevent rolling

Product ID Description

20031 Probe Straight Needle Point

Probe Bent Needle Point

- Made from 400 series stainless steel Sharp tip for precision work around
- delicate circuits and components Eight sided handle to ensure grip and prevent rolling

Product ID	Description	
20032	Probe Bent Needle Point - 90 degree bent point	

Probe Curved Needle Point

- Made from 400 series stainless steel Sharp tip for precision work around
- - 20034
- delicate circuits and components Eight sided handle to ensure grip and prevent rolling

Product ID Description

Probe Curved Needle Point 20034

Probe Double Sided Scraper Bent Tips

- Made from 400 series stainless steel
- Sharp tip for precision work around delicate circuits and components

Product ID	Description
20035	Probe Double Sided Scraper Bent Tips

Probe Double Sided Scraper Angled/Curved

- Made from 400 series stainless steel
- Sharp tip for precision work around delicate circuits and components





Probe Double End Bent/Curved

- Made from 400 series stainless steel
- Sharp tip for precision work around delicate circuits and components

Product ID Description 20039 Probe Double End Bent/Curved

Stainless Steel Probe 4-piece Set

- Made from 400 series stainless steel
- Sharp tip for precision work around delicate circuits and components
- Set of four contains: Straight, Bent, Curved and Angled Models

Product ID Description 20210 Stainless Steel Probe 4-piece Set

Alligator Clamp

- Serrated jaws for secure grip
- Angled to provide maximum view
- Stainless steel construction
- Designed to securely retrieve and hold small parts

Product ID	Description	Jaw Length	Opening
12201	Alligator Clamp 3.5"	0.5"	0.25"
12202	Alligator Clamp 5.5"	0.5"	0.25"

Hemostat - Straight

- Manufactured from 400 series stainless steel ►
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting them
- Designed for intricate work in tight spaces
- Ratchet lock in handle allows varying gripping pressure

Product ID	Description	Jaw Length
12001	Hemostat - Straight 3.5in	20mm
12015	Hemostat - Straight 5in	25.4mm
12011	Hemostat - Straight 5in w/Plastic Coated Handle	25.4mm
12017	Hemostat - Straight 6in	31.75mm
12013	Hemostat - Straight 6in w/Plastic Coated Handle	31.75mm
12019	Hemostat - Straight 8in	60mm
12021	Hemostat - Straight 16in	127mm
12030	Hemostat - Straight 18in	139mm
12032	Hemostat - Straight 24in	155mm

Hemostat - Curved

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting them
- Designed for intricate work in tight spaces
- Ratchet lock in handle allows varying gripping pressure

Product ID	Description	Jaw Length
12002	Hemostat - Curved 3.5in	20mm
12016	Hemostat - Curved 5in	25.4mm
12012	Hemostat - Curved 5in w/Plastic Coated Handle	25.4mm
12018	Hemostat - Curved 6in	31.75mm
12014	Hemostat - Curved 6in w/Plastic Coated Handle	31.75mm
12020	Hemostat - Curved 8in	60mm
12022	Hemostat - Curved 16in	127mm
12031	Hemostat - Curved 18in	139mm
12033	Hemostat - Curved 24in	155mm

12001

12002

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

20035



20039

20210







Precision Knives & Blades

44016

44017

44018

Technik K-18 Grip-On Non-Roll Soft Handle Knife

- 5-inch comfortable soft grip handle
- Four jaw machined aluminum chuck for secure blade positioning
- Includes a super sharp #11 blade and clear plastic safety cap
- ▶ Ideal for cutting or trimming plastic, wood, paper, cloth and film
- Fits replacement blades #10, 11, 16, 17

Product ID	Description	Blade Size
44011	Technik K-18 Grip-On Non-Roll Soft Handle Knife	#11

Technik K-1 Precision Light Duty Knife

- ► 4-3/4-inch aluminum handle
- 4-slot point chuck for easy blade release
- Includes a super sharp #11 blade and a high impact safety cap
- Ideal for precision cutting, forming and stripping of paper, plastic, wood, cloth and film
- Fits replacement blades #10, 11, 16, 17

Product ID	Description	Blade Size
44012	Technik K-1 Precision Light Duty Knife	#11

Technik K-2 Medium Duty Knife

- ► 4-3/4-inch aluminum handle
- 4-slot point chuck for easy blade release
- Includes a super sharp #22 blade and a high impact safety cap
- Ideal for precision cutting, trimming and stripping paper, plastic, wood, cloth and film
- Fits replacement blades #2, 18, 19, 22, 23, 24, 25, 26, 27, 28

•	 	 ,,,	,,, _	-,,	

Product ID	Description	Blade Size
44013	Technik K-2 Medium Duty Knife	#22

Technik K-5 Heavy Duty Knife

- ▶ 7/16-inch aluminum adapter
- 4-slot point chuck for easy blade release
- Includes a #19 sharp edge angled blade and a snug fitting plastic safety cap
- Ideal for precision cutting, trimming
- and stripping paper, plastic, and wood
- Fits replacement blades #2, 18, 19, 22, 23, 24, 25, 26, 27, 28

Product ID	Description
44014	Technik K-5 Heavy Duty Knife

Blade Size
#19

44015

44014

44011

44012

44013

Technik K-8 Flat Handle Light Duty Knife

- Sleek long handle design with a sharp utility blade
- Both ends of the blade can be used for cutting
- Blade can be adjusted easily
- Ideal for cutting boxes, wood, leather and foam
- Fits replacement blades 44257, K-8 Replacement Blade (5/pk)

Product ID Description 44015 Technik K-8 Flat Handle Light Duty Knife

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Technik K-10 Plastic Snap Blade Knife

- 13-Point snap off blade in a strong plastic track.
- Plastic auto-lock handle
- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items
- Fits replacement blades 44256, K-10 Replacement Blade (100/pk)

Product ID	Description
44016	Technik K-10 Plastic Snap Blade Knife

Technik K-13 Heavy Duty Snap Blade Knife

- 7-Point deluxe snap off blade in a strong plastic track
- Plastic auto-lock handle
- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items
- Fits replacement blades 44254, K-13 Replacement Blade (100/pk)

Product ID	Description
44017	Technik K-13 Heavy Duty Snap Blade Knife

Technik K-40 Pocket Clip Light Duty Utility Knife

- Multi-purpose precision knife is ideal for cutting and trimming
- Unique twist lock pocket clip safety cap
- Machined aluminum 4 jaw chuck for tight secure blade housing
- Comfortable ridged tapered plastic handle
- Fits replacement blades #10, 11, 16, 17
- Super sharp #11 blade

Product ID	Description	Blade Size
44018	Technik K-40 Pocket Clip Light Duty Utility Knife	#11

Technik Knife Set

- Contains K1, K2, K5 knife handles
- 13 assorted blades
- Includes a Teflon covered magnetic strip to help in holding the blades securely
- Organized in convenient plastic tray

Product ID Description

44101 Technik Knife Set

Technik Deluxe Knife Set

- Contains K1, K2, K5 knife handles
- 13 assorted blades
- Includes a Teflon covered magnetic strip to help in holding the blades securely
- Securely organized in a deluxe wood box

Product ID	Description
44102	Technik Deluxe Knife Set





Precision Knives & Blades



#19

#28

44254



44257

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

K-8 Replacement Blade (5/pk)

44044

44045

Scalpel Blade #15

Scalpel Blade #23

Small curved cutting edge

Rounded "leaf shaped" cutting edge



Accu-Cut ESD Safe Cutters

Accu-Cut Oval Head Cutter

- This popular shape can be used for many applications
- ESD Safe Ergonomic Grips for superior comfort
- Robust oval head designed for durability

_	ESD /
	108215

Product ID	Description	Cutting Edge	Capacity
108215	Accu-Cut Oval Head Cutter	Semi-Flush	0.2-1.25mm
10821F	Accu-Cut Oval Head Cutter	Flush	0.15-1.25mm
10821R	Accu-Cut Oval Head Cutter	Razor Flush $^{ extsf{R}}$	0.1-1.0mm

Accu-Cut Oval Relief Head Cutter

- This popular shape can be used for many applications
- Relieved head allows easier access in tight confined areas
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

Product ID	Description	Cutting Edge	Capacity
108225	Accu-Cut Oval Relief Head Cutter	Semi-Flush	0.2-1.2mm
10822F	Accu-Cut Oval Relief Head Cutter	Flush	0.15-1.1mm
10822R	Accu-Cut Oval Relief Head Cutter	Razor Flush $^{ extsf{R}}$	0.1-0.9mm

Accu-Cut Large Oval Head Cutter

- 25% larger than our standard oval head cutters
- Larger cutting capacity
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

Product ID	Description	Cutting Edge	Capacity
108235	Accu-Cut Large Oval Head Cutter	Semi-Flush	0.2-1.5mm
10823F	Accu-Cut Large Oval Head Cutter	Flush	0.15-1.5mm
10823R	Accu-Cut Large Oval Head Cutter	Razor Flush®	0.15-1.3mm

Accu-Cut Large Oval Relief Head Cutter

- 25% larger than our standard oval head cutters
- Larger cutting capacity
- Relieved head allows easier access in tight confined areas
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

Product ID	Description	Cutting Edge	Capacity
108245	Accu-Cut Large Oval Relief Head Cutter	Semi-Flush	0.2-1.4mm
10824F	Accu-Cut Large Oval Relief Head Cutter	Flush	0.15-1.4mm
10824R	Accu-Cut Large Oval Relief Head Cutter	Razor Flush $^{ extsf{R}}$	0.1-1.2mm

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Accu-Cut XL Oval Head Cutter

- Extra large oval head for cutting heavy duty wire
- ESD Safe Ergonomic Grips for superior comfort Designed to be durable



 Designed to be durable 		108295	
Product ID	Description	Cutting Edge	Capacity
108295	Accu-Cut XL Oval Head Cutter	Semi-Flush	0.4-2mm
10829F	Accu-Cut XL Oval Head Cutter	Flush	0.3-2mm
10829R	Accu-Cut XL Oval Head Cutter	Razor Flush [®]	0.3-1.6mm

Accu-Cut Mini Oval Head Cutter

- Miniature oval head for fine cutting work
- ESD Safe Ergonomic Grips for superior
- comfort
- Designed to be durable

Product ID	Description	Cutting Edge	Capacity
10827S	Accu-Cut Mini Oval Head Cutter	Semi-Flush	0.2-1.25mm
10827F	Accu-Cut Mini Oval Head Cutter	Flush	0.1-0.9mm
10827R	Accu-Cut Mini Oval Head Cutter	Razor Flush®	0.1-0.8mm

Accu-Cut Tapered Head Cutter

- Pointed head allows for increased access in tight areas
- ESD Safe Ergonomic Grips for superior comfort
- Designed to be durable

Product ID	Description	Cutting Edge	Capacity
108255	Accu-Cut Tapered Head Cutter	Semi-Flush	0.2-1.25mm
10825F	Accu-Cut Tapered Head Cutter	Flush	0.15-1.25mm
10825R	Accu-Cut Tapered Head Cutter	Razor Flush [®]	0.1-1mm

Accu-Cut Tapered Relief Head Cutter

- Pointed head with relief allows for increased access in tight areas
- ESD Safe Ergonomic Grips for superior comfort
 - Designed to be durable

Product ID	Description	Cutting Edge	Capacity
10826S	Accu-Cut Tapered Relief Head Cutter	Semi-Flush	0.2-1.15mm
10826F	Accu-Cut Tapered Relief Head Cutter	Flush	0.1-1.05mm
10826R	Accu-Cut Tapered Relief Head Cutter	Razor Flush®	0.1-0.9mm

Accu-Cut Mini Tapered Relief Cutter

- Miniature tapered head with relief for exceptionally fine cutting work
- ESD Safe Ergonomic Grips for superior comfort
 - Designed to be durable

Product ID	Description	Cutting Edge	Capacity
108285	Accu-Cut Mini Tapered Relief Cutter	Semi-Flush	0.2-1.1mm
10828F	Accu-Cut Mini Tapered Relief Cutter	Flush	0.1-1mm
10828R	Accu-Cut Mini Tapered Relief Cutter	Razor Flush $^{ extsf{R}}$	0.1-0.7mm



10825R

10826F

10828R



10823R

10822F

42

10824S

10831R

10833F

10834F

10835F

Ρ

Accu-Cut ESD Safe Cutters & Pliers

Accu-Cut Tip High Relief Cutter

- Low profile tip cutter for getting into tight areas
- **Razor Flush Cutting Edges**
- ESD Safe Ergonomic Grips for superior 10830R comfort

Product ID	Description	Cutting Edge	Capacity
10830R	Accu-Cut Tip High Relief Cutter	Razor Flush $^{ extsf{R}}$	0.1-0.65mm

Accu-Cut Small Tip Cutter

- Slim jaw with a low relieved profile for getting into tight areas
- **Razor Flush Cutting Edges** ESD Safe Ergonomic Grips for

superior	comfort		
Product ID	Description	Cutting Edge	Capacity
10831R	Accu-Cut Small Tip Cutter	Razor Flush [®]	0.1-0.8mm

Accu-Cut Subminiature Tip Cutter

- Extra small cutter with narrow tips for fine work
- **Razor Flush Cutting Edges**
- ESD Safe Ergonomic Grips for superior 10832R comfort

10832B Accu-Cut Subminiature Tip Cutter Pazer Flush® 0.05-0.4m	Product ID	Description	Cutting Edge	Capacity
	10832R	Accu-Cut Subminiature Tip Cutter	Razor Flush [®]	0.05-0.4mm

Accu-Cut Angulated Mini 50° Cutter

- Angulated head design with small cutting head for fine SMT work
- **Flush Cutting Edges**
- ESD Safe Ergonomic Grips for superior comfort

Product ID	Description	Cutting Edge	Capacity
10833F	Accu-Cut Angulated Mini 50° Cutter	Flush	0.1-0.65mm

Accu-Cut Angulated Small 50° Cutter

- Small Cutting head with relief for excellent visibility and durability combined with fine cutting
- **Flush Cutting Edges** ESD Safe Ergonomic Grips for
 - superior comfort

Product ID	Description	Cutting Edge	Capacity
10834F	Accu-Cut Angulated Small 50° Cutter	Flush	0.1-0.8mm

Accu-Cut Angulated Large 50° Cutter

- Large cutting head designed to cut several leads in a single cut
- Head relieved for extra visibility
- Flush Cutting Edges
- ESD Safe Ergonomic Grips for superior comfort

Product ID	Description	Cutting Edge	Capacity
10835F	Accu-Cut Angulated Large 50° Cutter	Flush	0.2-1mm

Accu-Cut Chain Nose Pliers

- Very fine tips (Jaw length: 33mm (1.30"))
- Long jaw for extended gripping power
- ESD Safe Ergonomic Grips for superior comfort
- "Eased Edges" of inner jaw to reduce risk of damage to the work piece during forming

Product ID	Description	Tip Size	Jaw Type	
10841	Accu-Cut Chain Nose Pliers	1.2mm (w) x 1.4mm (h)	Smooth	
Accu-Cut Chain Nose Pliers				
	ting (low longth, ZZmm)			

- Very fine tips (Jaw length: 33mm (1.30"))
- Long jaw for extended gripping power ESD Safe Ergonomic Grips for superior
- comfort
- "Eased Edges" of inner jaw to reduce risk of damage to the work piece during forming

Product ID	Description	Tip Size	Jaw Type
10842	Accu-Cut Chain Nose Pliers	1.2mm (w) x 1.4mm (h)	Serrated

Accu-Cut Chain Nose Pliers - Short

- Very fine tips (Jaw length: 19mm(0.75"))
- "Eased Edges" of inner jaw to reduce risk of damage to the work piece during forming
- ESD Safe Ergonomic Grips for superior 10843 comfort

Product ID Description

Smooth 10843 Accu-Cut Chain Nose Pliers - Short 1.2mm (w) x 1.4mm (h)

Tip Size

Accu-Cut Flat Nose Pliers

- Very fine tips (Jaw length: 31.7mm(1.25"))
- "Eased Edges" of inner jaw to reduce risk
- of damage to the work piece during
- forming ESD Safe Ergonomic Grips for superior comfort

Product ID	Description	Tip Size	Jaw Type
10847	Accu-Cut Flat Nose Pliers	3.8mm x 1.5mm	Smooth

Accu-Cut Round Nose Pliers

- Very fine tips (Jaw length: 31.7mm(1.25"))
- Long jaw makes it possible to form a wide
- range of loop diameters
- **ESD Safe Ergonomic Grips**

Product ID	Description	Tip Size	Jaw Type
10846	Accu-Cut Round Nose Pliers	0.7mm	Smooth

Accu-Cut Needle Nose Pliers

- Exceptionally Fine Tips (Jaw length: 31.7mm (1.25"))
- Outer surface is rounded to the shape of 10845 smooth half cones
- Design of tips increases access and allows forming of loops
- All edges of the inner jaws are eased
- ESD Safe Ergonomic Grips

Product ID	Description	Tip Size	Jaw Type
10845	Accu-Cut Needle Nose Pliers	1.0mm x 1.2mm	Smooth

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

43



10841

10842

Jaw Type

10847



Technik Stainless Steel Pliers and Cutters

10331

10330

10327

10328

Oval Head Cutter 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

10321

10322

10332

10325

Product ID	Description	Cutting Edge	Capacity
10321*	Oval Head Cutter 114mm (4.5")	Semi-Flush	0.2-1.25mm
10323	Oval Head Cutter 114mm (4.5")	Flush	0.15-1.25mm

Oval Head Cutter Large 127mm (5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Cutting Edge	Capacity
10322	Oval Head Cutter Large 127mm (5")	Semi-Flush	0.2-1.5mm
10324	Oval Head Cutter Large 127mm (5")	Flush	0.15-1.5mm

Mini Oval Head Cutter 110mm (4.3")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- **Dual leaf springs**

Pr

- ESD Safe cushioned grips
- Box Joint construction provides
- superior jaw alignment and durability

Product ID	Description	Cutting Edge	Capacity
10332	Mini Oval Head Cutter 110mm (4.3")	Flush	0.1-1.25mm

Tapered Head Cutter 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- **Dual leaf springs**
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Cutting Edge	Capacity
10325	Tapered Head Cutter 114mm (4.5")	Semi-Flush	0.2-1.25mm
10326	Tapered Head Cutter 114mm (4.5")	Flush	0.15-1.25mm

Tapered Relief Cutter 114mm (4.5")

Manufactured from 400 series stainless steel Induction hardened jaws Dual leaf springs ESD Safe cushioned grips 10329 Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Cutting Edge	Capacity
10329	Tapered Relief Cutter 114mm (4.5")	Flush	0.1-1.05mm

NOTE: Product ID's with * included in 10600A Precision Stainless Steel Pliers Set.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Mini Tapered Head Cutter 110mm (4.3")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- **Dual leaf springs**
- ESD Safe cushioned grips Box Joint construction provides
- superior jaw alignment and durability

Product ID	Description	Cutting Edge	Capacity
10331	Mini Tapered Head Cutter 110mm (4.3")	Flush	0.1-1.25mm

Tip Cutter 114mm (4.5")

- Manufactured from 400 series stainless stee
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides
- superior jaw alignment and durability Tip cutter with deep relief and low profile

Product ID	Description	Cutting Edge	Capacity
10330	Tip Cutter 114mm (4.5")	Flush	0.1-1.05mm

End Cutter 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability
- Designed to cut close to the surface leaving smooth surface behind

Product ID	Cutting Edge	Capacity			
10327*	End Cutter 114mm (4.5")	Semi-Flush	0.2-1.25mm		
Oblique Head Cutter 114mm (4 5")					

e Head Cutter 114mm (4.5°)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips Box Joint construction provides
 - superior jaw alignment and durability Designed to cut close to the surface
- Oblique tip can be used for fine wire cutting

Product ID	Description	Cutting Edge	Capacity		
10328	Oblique Head Cutter 114mm (4.5")	Semi-Flush	0.2-1.25mm		
 Long Nose Pliers w/cutter 120.5mm (4.75") Manufactured from 400 series stainless steel Induction hardened jaws Dual leaf springs ESD Safe cushioned grips Box Joint construction provides superior jaw alignment and durability 					
Jaw aligh Product ID		ength Tip Widtl	h Jaw Type		

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10315*	Long Nose Pliers w/cutter	26.4mm	1.8mm	Serrated

10301

10302

10333

10335

Technik Stainless Steel Pliers and Cutters

Chain Nose Pliers 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10301*	Chain Nose Pliers 114mm (4.5")	23.6mm	1.8mm	Smooth
10307	Chain Nose Pliers 114mm (4.5")	23.6mm	1.8mm	Serrated

Chain Nose Pliers 127mm (5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10302	Chain Nose Pliers 127mm (5")	26.6mm	1.8mm	Smooth
10308	Chain Nose Pliers 127mm (5")	26.6mm	1.8mm	Serrated
10311	Chain Nose Pliers 127mm (5")	37.4mm	1.8mm	Smooth
103115	Chain Nose Pliers 127mm (5")	37.4mm	1.8mm	Serrated

Chain Nose Pliers 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

10333 Chain Nose Pliers 152mm (6") 38.8mm 2mm Serrated	Product ID	Description	Jaw Length	Tip Width	Jaw Type
	10333	Chain Nose Pliers 152mm (6")	38.8mm	2mm	Serrated

Flat Nose Pliers 114mm - 152mm (4.5" - 6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10303*	Flat Nose Pliers 114mm (4.5")	23.6mm	3.2mm	Smooth
10304	Flat Nose Pliers 127mm (5")	29.9mm	5.87mm	Smooth
10335	Flat Nose Pliers 152mm (6")	42mm	5.3mm	Smooth

Round Nose Pliers 114mm - 127mm (4.5 - 5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10305	Round Nose Pliers 114mm (4.5")	21.3mm	1.14mm	Smooth
10306	Round Nose Pliers 127mm (5")	23.6mm	1.14mm	Smooth

Bent Nose Pliers 114mm (4.5")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10309	Bent Nose Pliers 114mm (4.5")	22.8mm	1.5mm	Smooth
10310	Bent Nose Pliers 114mm (4.5")	22.8mm	1.5mm	Serrated

Bent Nose Pliers 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10313	Bent Nose Pliers 152mm (6")	40.6mm	2mm	Smooth

Needle Nose Pliers 146mm (5.75")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10314*	Needle Nose Pliers	49mm	1.5mm	Serrated

Needle Nose Pliers Curved 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Box Joint construction provides superior jaw alignment and durability

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10953	Needle Nose Pliers Curved	31.2mm	1.3mm	Serrated

Precision Stainless Steel Pliers Set 6pc

- Induction hardened jaws
- Dual leaf springs
- ESD Safe cushioned grips
- Manufactured from 400 series stainless steel
- Box Joint construction provides superior jaw alignment and durability
- Set includes: Technik Stainless Steel
 Pliers & Cutters 10301, 10303, 10314, 10315, 10321, 10327
- Tools come with a handy leatherette pouch

Product ID Description

10600A Needle Nose Pliers Curved

NOTE: Product ID's with * included in 10600A Precision Stainless Steel Pliers Set.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



10310

10313

10314

10953



Niptec Cutters & Parallel Action Pliers

 Compact Semi-flux For use c 	5mm thick blades t ergonomic design sh cutting edge on copper wire up to 12 AWG e grips make tool comfortable and ea	10501 asy to use	 ESD Safe comforta For use of 	t ergonomic design e grips make tool able and easy to use on copper wire up to 20 AWG tting head angled at 21° for acc	cess into tight	10527B places
Product ID	Description	Cutting Edge	Product ID	Description		Cutting Ec
10501	Niptec TR 5000 Cutter	Semi-Flush	10527B	Niptec TR 20M Cutter		Flush
 Durable ! Compact Flush cut 	R 5000PG Cutter 5mm thick blades t ergonomic design tting edge on copper wire up to 16 AWG	10503	 Grip rem length o Smooth, square v 	rallel Action 5" Snipe N hains consistently parallel along f jaw when open or closed snipe profile jaws offer ice-like grip and lever action with no spring		10753
	e grips make tool comfortable and ea	asy to use	Compac	t, ergonomic design	- 6 h - m - l - m l i	
Product ID	Description	Cutting Edge		lated handles with jaws made		
10503	Niptec TR 5000PG Cutter	Flush		Description		Jaw Leng
liptec TF	R 25 Cutter	(a) 10 5 Long	10753	Pliers Parallel Action 5" Snipe Nose	10mm	25mm
comforta Compact Flush cut	e grips make tool able and easy to use t ergonomic design tting edge cutting head for access into dense ar	10521 reas	 Grip rem along ful or closed Compout 	nd lever action with no spring	Q.Q.1/.	10756
Product ID	Description	Cutting Edge		lated handles with jaws made		
					Max Open	
0521	Niptec TR 25 Cutter	Flush				1
liptec Tf For use c	Niptec TR 25 Cutter R 25-E Cutter on copper wire up to 18 AWG	Flush	10756 Flat Nose ► Serrated	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w	17mm	41mm
 For use of Blue non comfortation Compaction Flush cut 	Niptec TR 25 Cutter	10521EC	 10756 Flat Nose Serrated Compout Nickel-pof harde Built-in N Grip remote 	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w ind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to lains consistently parallel along	17mm 5" vire 2.5mm (0.1")	41mm
For use of Blue non comforta Compact Flush cut Narrow of	Niptec TR 25 Cutter R 25-E Cutter on copper wire up to 18 AWG able and easy to use t ergonomic design tting edge	10521EC reas	 10756 Flat Nose Serrated Compout Nickel-p of harde Built-in v Grip remo open or 	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding wind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to bains consistently parallel along closed	17mm 5" vire 2.5mm (0.1") a full length of	41mm 10761 jaw when
For use of Blue non comforta Compact Flush cut Narrow of Product ID	Niptec TR 25 Cutter R 25-E Cutter on copper wire up to 18 AWG able and easy to use t ergonomic design tting edge cutting head for access into dense ar	10521EC	10756 Flat Nose Serrated Compou Nickel-p of harde Built-in v Grip rem open or Product ID	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w Ind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to bains consistently parallel along closed Description	17mm 5" vire 2.5mm (0.1") g full length of Max Open	41mm 10761 jaw when
For use of Blue non comforta Compact Flush cut Narrow of Product ID	Niptec TR 25 Cutter R 25-E Cutter on copper wire up to 18 AWG able and easy to use t ergonomic design tting edge cutting head for access into dense ar Description	10521EC reas Cutting Edge	 10756 Flat Nose Serrated Compout Nickel-p of harde Built-in v Grip remote open or Product ID 10761 	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding wind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to tains consistently parallel along closed Description Flat Nose Pliers 8"	17mm 5" vire 2.5mm (0.1") g full length of Max Open 17mm	41mm 10761 jaw wher
For use of Blue non comforta Compact Flush cut Narrow of Product ID 10521EC Liptec TH ESD Safe easy to u Compact Flush cut Small cut	Niptec TR 25 Cutter R 25-E Cutter on copper wire up to 18 AWG able and easy to use t ergonomic design tting edge cutting head for access into dense ar Description Niptec TR 25-E Cutter R 20 50M Cutter e grips make tool comfortable and	IO521EC reas Cutting Edge Flush Flush 10525	 10756 Flat Nose Compout Nickel-p of harde Built-in M Grip remover or Product ID 10761 Flat Nose Serrated Grip remover of the service of the service	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w Ind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to bains consistently parallel along closed Description	17mm 5" vire 2.5mm (0.1") 5 full length of Max Open 17mm 8" vire 2.5mm 17mm	41mm 10761 jaw wher 35mm 10764
For use of Blue non comforta Compact Flush cut Narrow of Product ID 10521EC ESD Safe easy to u Compact Flush cut Small cut For use of	Niptec TR 25 Cutter R 25-E Cutter on copper wire up to 18 AWG able and easy to use t ergonomic design tting edge cutting head for access into dense ar Description Niptec TR 25-E Cutter R 20 50M Cutter e grips make tool comfortable and use t ergonomic design tting edge tting head angled at 48° for access into	IO521EC reas Cutting Edge Flush Flush 10525	 10756 Flat Nose Serrated Compout Nickel-p of harde Built-in v Grip remore Grip remore Product ID 10761 Flat Nose Serrated Grip remore Grip remore Gushion Built-in v 	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w ind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to ains consistently parallel along closed Description Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w ains consistently parallel along th of jaw when open or closed ind lever action with no spring grip handles with jaws made of Pliers with jaws with jaws made of Pliers with jaws with jaws made of Pliers with jaws with	17mm 5" vire 2.5mm (0.1") 5 full length of 17mm 8" vire 4 vire 5 6 6 mm (0.24")	41mm 10761 jaw wher Jaw Len 35mm 10764 eel
For use of Blue non comforta Compact Flush cut Narrow of Product ID 10521EC Liptec TH ESD Safe easy to u Compact Flush cut Small cut	Niptec TR 25 Cutter R 25-E Cutter on copper wire up to 18 AWG able and easy to use t ergonomic design tting edge cutting head for access into dense ar Description Niptec TR 25-E Cutter R 20 50M Cutter e grips make tool comfortable and use t ergonomic design tting edge tting head angled at 48° for access ir on copper wire up to 22 AWG	IO521EC reas Cutting Edge Flush Flush 10525 nto tight places	 10756 Flat Nose Serrated Compout Nickel-pofharde Built-in M Grip remore Product ID 10761 Flat Nose Serrated Grip remfull lengt Compout Built-in M Built-in M Product ID 10764 	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w ind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to tains consistently parallel along closed Description Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w tains consistently parallel along th of jaw when open or closed ind lever action with no spring grip handles with jaws made of wire cutter cuts soft wire up to Description Flat Nose Pliers w/Wire Cutters 8"	17mm 5" vire 2.5mm (0.1") 5 full length of 17mm 8" vire 5 full length of 17mm 0 full length of 17mm 17mm 17mm	41mm 10761 jaw when 35mm 35mm
iptec TF For use of Blue non comforta Compact Flush cut Narrow of Product ID 0521EC iptec TF ESD Safe easy to u Compact Flush cut Small cut For use of Product ID 0525 iptec TF Compact Flush cut For use of Designed circuit pi ESD Safe	Niptec TR 25 Cutter R 25-E Cutter Con copper wire up to 18 AWG Copper wire up to 20 AWG Copper wire up to 22 AWG Copper	IU521EC reas Cutting Edge Flush IU525 nto tight places Cutting Edge Flush Flush IU525 nto tight places	 10756 Flat Nose Serrated Compout Nickel-p of harde Built-in v Grip rem open or Product ID 10761 Flat Nose Grip rem full lengt Compout Built-in v Product ID 10764 Diagonal Compout power for Compout less forc Durable, Ergonon 	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w ind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to tains consistently parallel along closed Description Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w tains consistently parallel along th of jaw when open or closed ind lever action with no spring -grip handles with jaws made of wire cutter cuts soft wire up to Description	17mm 5" vire 2.5mm (0.1") full length of 17mm 8" vire 5 6 6 6 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm	41mm 10761 jaw where Jaw Len 35mm 10764 eel Jaw Len 41mm 41mm
iptec TF For use of Blue non comforta Compact Flush cut Narrow of Product ID 0521EC iptec TF ESD Safe easy to u Compact Flush cut Small cut For use of Product ID 0525 iptec TF Compact Flush cut For use of Designed circuit pi ESD Safe	Niptec TR 25 Cutter R 25-E Cutter Con copper wire up to 18 AWG able and easy to use t ergonomic design tting edge cutting head for access into dense ar Description Niptec TR 25-E Cutter R 20 50M Cutter R 20 SOM Cutter C Description Niptec TR 20 50M Cutter R 20 TM Cutter R 20 TM Cutter t ergonomic design tting edge on copper wire up to 22 AWG Description Niptec TR 20 50M Cutter R 20 TM Cutter t ergonomic design tting edge on copper wire up to 22 AWG Cutter C C C C C C C C C C C C C C C C C C C	IU521EC reas Cutting Edge Flush IU525 nto tight places Cutting Edge Flush Flush IU525 nto tight places	 10756 Flat Nose Serrated Compout Nickel-p of harde Built-in v Grip rem open or Product ID 10761 Flat Nose Grip rem full lengt Compout Built-in v Product ID 10764 Diagonal Compout power for Compout less forc Durable, Ergonon 	Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w ind lever action with no spring lated handles with jaws made ned steel wire cutter cuts soft wire up to ains consistently parallel along closed Description Flat Nose Pliers 8" Pliers w/Wire Cutters Jaws with V-Slot for holding w ains consistently parallel along th of jaw when open or closed ind lever action with no spring -grip handles with jaws made of wire cutter cuts soft wire up to Description Flat Nose Pliers w/Wire Cutters 8" Cutter Compound Action Ind lever action handles give your or cutting and gripping and lever action handles requires e when cutting semi-flush cutting jaw will cut hic design provides extra comformation Plat Nose Pliers w/Wire Stra comformation Plat Nose Pliers w/Wire Cutters 8" Cutter Compound Action Plat Nose Pliers w/Wire Cutters 8" Plat Nose Pliers w/Wire Nose 8" Plat Nos	17mm 5" vire 2.5mm (0.1") full length of 17mm 8" vire 5 6 6 6 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm 17mm	41mm 10761 jaw when 35mm 35mm 10764 eel Jaw Len 41mm 41mm 754 to to 2mmm teel

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Choosing the Correct Tweezer





Aven offers a wide variety of tweezers to meet a broad range of applications and 2 different quality grades.

In order to choose the best tool for your application:

- 1. Determine the type of points best suited for your application.
- 2. Refer to the material guide below and select the correct material for your application.
- 3. Determine the quality level required for your application if applicable. (Table 1)

Special Coatings (Available on non-magnetic stainless steel only)

TE - Teflon Superior anti-scratch, non-stick material. Acid resistant. 400°F/200°C

EP - Epoxy Good electrical insulation and resistance to chemicals. Antiglare. 300°F/150°C

* To order tweezers with above mentioned coatings, call Aven for price and delivery time.

	Quality Grades (Table 1)			
Accu-Tek ♦♦♦♦	Made from the finest steels. Perfectly Balanced for a superior feel. Light weight with soft tension with accurately finished points. Recommended for work under high power magnification aerospace and micro electronics and in applications where high precision is required. All Accu-Tek precision tweezers are made from anti-acid, anti-magnetic stainless steel.			
Technik ♦♦♦	Finely crafted tweezers. Anti-glare finish to reduce eye strain. Hand finished points for accuracy. Recommended for micro electronics and precision assembly.			

Material Selection Guide (Table 2)

Material	Tip Hardness	Magnetism	Corrosion Resistance
Titanium	Excellent	Never	Excellent
Carbon steel	Excellent	Yes	Low
Stainless Steel	Very Good	Some	Good
Stainless Steel, Anti- magnetic, Anti-acid	Good	None to very little	Excellent, Resists Acids
Carbon Composite	Soft	None	Non- corrosive

Titanium: Titanium tweezers are excellent for use in the silicon chip industry, as they do not shed particles like the stainless steel. When it is determined that microscopic particles are a detriment when handling abrasive parts we recommend using titanium tweezers. In addition since titanium tweezers are 100% non magnetic, they are extremely useful when working with magnetic materials or when working in a magnetic field. Titanium is lightweight and a high strength material.

Ceramic: ESD Safe, non magnetic. Resists all chemicals except hydrofluoric acids. Withstands temperatures up to 900°F. Heat sink fighter.

Plastic: We offer static dissipative plastic tweezers. Plastic tweezers are non magnetic, resist virtually all commercial solvents. Non absorbent and easy to clean. Tips are non-marring.

Carbofib: Fully ESD Safe (102 ohm) but at the same time, soft and non scratching. These conductive synthetic fiber tips are ideally suited to handle delicate and fragile components when extreme care and ESD safety are an absolute necessity. Every tweezers is manually finished and tested for maximum precision. Chemical resistant and heat resistant up to 256°C.

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



Precision Tweezers

00C

00D

OΔ

00

Style AA Tweezers

For general assembly, very strong and precise tips with fine finish. Available in different materials and quality grades. Length: 5" (130mm)

Product ID	Description	Material
18013-BR	Accu-Tek Tweezers AM-BR	Brass
18013USA	Technik Tweezers AA-SA	Stainless Steel
18011-CS	Aven Tweezers AA-CS	Carbon Steel, Nickel/Chrome Plated
18013TS	Accu-Tek AA (Swiss Made)	Titanium
18013TT	Aven Tweezers AA	Titanium
18013EZ	E-Z Pik Tweezers AA Yellow	Stainless Steel

Style AC Tweezers

Sturdy tips for bending and handling very fine wire and components. Tweezers feature finger grips. Available in different materials and quality grades. Length: 4-3/4" (120mm)

Product ID	Description	Material
18016USA	Technik Tweezers AC-SA	Stainless Steel
18014-CS	Aven Tweezers AC-CS	Carbon Steel, Nickel/Chrome Plated

Style MM Tweezers

General purpose, tweezers with hardened, precision tips and fine finish. Available in different materials and quality grades. Length: 5" (130mm)

Product ID	Description	Material
18023USA	Technik Tweezers MM-SA	Stainless Steel
18014-CS	Aven Tweezers MM-CS	Carbon Steel, Nickel/Chrome Plated

Style 00 Tweezers

Flat edges, heavy duty strong blades tapering to a regular strong point. Available in different materials and quality grades. Length: 4-3/4" (120mm)

00

MM

AA

AC

Product ID	Description	Material
18032ACU	Accu-Tek Tweezers 00-SA	Stainless Steel
18032USA	Technik Tweezers 00-SA	Stainless Steel
18032-CS	Aven Tweezers 00-CS	Carbon Steel, Nickel/Chrome Plated
18032TS	Accu-Tek 00 (Swiss Made)	Titanium
18032TT	Aven Tweezers 00	Titanium
18032EZ	E-Z Pik Tweezers 00 Red	Stainless Steel
18032-ER	Comfort Grip Tweezers 00-SA	Stainless Steel

Style 00C Tweezers

Flat edges, heavy duty strong blades tapering to a regular strong point. Slightly shorter than 00. Length: 4-1/2" (115mm)

Product ID	Description	Material
18034USA	Technik Tweezers 00C-SA	Stainless Steel

Style 00D Tweezers

Flat edges, heavy duty strong blades tapering to a regular strong point. Tweezers feature finger grips. Available in different materials and quality grades. Length: 4-3/4" (120mm)

Product ID	Description	Material
18037ACU	Accu-Tek Tweezers 00D-SA	Stainless Steel
18037-MS	Mini 00D-SA (Swiss Made)	Stainless Steel
18037USA	Technik Tweezers 00D-SA	Stainless Steel
18036-CS	Aven Tweezers 00D-CS	Carbon Steel, Nickel/Chrome Plated
18037TT	Aven Titanium Tweezers 00D	Titanium

Style 0 Tweezers

Extremely fine straight points for general handling and positioning of minature parts or fine wire. Available in different quality grades. Length: 4-3/4" (120mm)

Product ID	Description	Material
18026ACU	Accu-Tek Tweezers 0-SA	Stainless Steel
18026USA	Technik Tweezers 0-SA	Stainless Steel

Style 0A Tweezers

Straight point tweezers with radius edges are uniquely designed for working in small yet dense areas. Length: 4-3/4" (120mm)

Product ID	Description	Material
18027USA	Technik Tweezers 0A-SA	Stainless Steel

Style 0C Tweezers

Straight point tweezers with flat edges, fine tips and shortened overall length for delicate handling of small parts. Available in different quality grades. Length: 3-1/2" (90mm)

Product ID	Description	Material
18029ACU	Accu-Tek Tweezers 0C-SA	Stainless Steel
18029USA	Technik Tweezers OC-SA	Stainless Steel

Precision Tweezers

Style SS Tweezers

Extra long and narrow, straight point tweezers. Provides extended reach and access to confined areas. Available in different quality grades. Length: 5-1/2" (140mm)

Product ID	Description	Material
18040ACU	Accu-Tek Tweezers SS-SA	Stainless Steel
18040USA	Technik Tweezers SS-SA	Stainless Steel

Style 1 Tweezers

Designed for general use featuring strong blades with fine points. Available in different materials and quality grades. Length: 4-3/4" (120mm)

		,
Product ID	Description	Material
18043ACU	Accu-Tek Tweezers 1-SA	Stainless Steel
18043USA	Technik Tweezers 1-SA	Stainless Steel
18043-CS	Aven Tweezers 1-CS	Carbon Steel, Nickel/Chrome Plated
18043TT	Aven Titanium Tweezers 1	Titanium

Style 2 Tweezers

Tapered, sharp point tweezers for bending and handling of small wires and parts. Available in different materials and quality grades. Length: 4-3/4" (120mm)

Product ID	Description	Material
18046ACU	Accu-Tek Tweezers 2-SA	Stainless Steel
18046-MS	Mini 2-SA (Swiss Made)	Stainless Steel
18046USA	Technik Tweezers 2-SA	Stainless Steel
18046-CS	Aven Tweezers 2-CS	Carbon Steel, Nickel/Chrome Plated
18046TS	Accu-Tek 2 (Swiss Made)	Titanium
18046TT	Aven Titanium Tweezers 2	Titanium

Style 2A Tweezers

Straight Flat Tips. Provides large flat gripping surface. Available in different materials and quality grades. Length: 4-3/4" (120mm)

2	Δ
~	-

2

Product ID	Description	Material
18049ACU	Accu-Tek Tweezers 2A-SA	Stainless Steel
18049-MS	Mini 2A-SA (Swiss Made)	Stainless Steel
18049USA	Technik Tweezers 2A-SA	Stainless Steel
18049-CS	Aven Tweezers 2A-CS	Carbon Steel, Nickel/Chrome Plated
18049TS	Accu-Tek 2A (Swiss Made)	Titanium
18049TT	Aven Titanium Tweezers 2A	Titanium
18049EZ	E-Z Pik Tweezers 2A Black	Stainless Steel
18049-ER	Comfort Grip Tweezers 2A-SA	Stainless Steel

Style 2AB Tweezers

Style 2AB Tweezers feature curved round tips, ideal for handling delicate or small parts. Tip angle facilitates wafer tray loading. Length: 4-3/4" (120mm)

Product ID	Description	Material
18050USA	Technik Tweezers 2AB-SA	Stainless Steel

Style 3 Tweezers

SS

Fine point tweezers for general assembly or light magnification applications. Available in different materials and quality grades. Length: 4-3/4" (120mm)

Product ID	Description	Material
18053ACU	Accu-Tek Tweezers 3-SA	Stainless Steel
18053-MS	Mini 3-SA (Swiss Made)	Stainless Steel
18053USA	Technik Tweezers 3-SA	Stainless Steel
18053-CS	Aven Tweezers 3-CS	Carbon Steel, Nickel/Chrome Plated
18053TS	Accu-Tek 3 (Swiss Made)	Titanium
18053TT	Aven Titanium Tweezers 3	Titanium

Style 3C Tweezers

Fine point tweezers, slightly shorter than #3, for general assembly or light magnification applications. Available in different materials and quality grades. Length: 4-1/4" (110mm)

20
36

Product ID	Description	Material
18056ACU	Accu-Tek Tweezers 3C-SA	Stainless Steel
18056USA	Technik Tweezers 3C-SA	Stainless Steel
18054-CS	Aven Tweezers 3C-CS	Carbon Steel, Nickel/Chrome Plated
18056TS	Accu-Tek 3C (Swiss Made)	Titanium
18056TT	Aven Titanium Tweezers 3C	Titanium
18056EZ	E-Z Pik Tweezers 3C Light Blue	Stainless Steel
18056-ER	Comfort Grip Tweezers 3C-SA	Stainless Steel

Style 3CB Tweezers

Long and narrow bent tip tweezers. Provides extended reach and access to confined areas. Length: 4-1/4" (110mm)

3CB

3F

Product ID	Description	Material	
18078ACU	Accu-Tek Tweezers 3CB-SA	Stainless Steel	
Style 3F Tweezers			

Tips touch over 3mm for holding tiny wires. Length: 4-3/4" (120mm)

Product ID	Description	Material
18079ACU	Accu-Tek Tweezers 3F-SA	Stainless Steel

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com



2AB



Precision Tweezers

Style 35A Tweezers

Ideal for handling wafers, delicate parts, and delicate assembly work. Length: 4-3/4" (120mm)

Product ID	Description	Material
18201USA	Aven Tweezers 35A-SA	Stainless Steel

Style 36 Tweezers

Angled broad tip tweezers feature large paddle style tips. Wide tips provide firm grip. Length: 4-3/4" (120mm)

Product ID	Description	Material
18202USA	Aven Tweezers 36-SA	Stainless Steel

Style 4 Tweezers

Designed for extra fine work. Blades taper sharply from body to form very fine long rounded points. Available in different materials and quality grades. Length: 4-1/4" (110mm)

Product ID	Description	Material
18059ACU	Accu-Tek Tweezers 4-SA	Stainless Steel
18059USA	Technik Tweezers 4-SA	Stainless Steel
18057-CS	Aven Tweezers 4-CS	Carbon Steel, Nickel/Chrome Plated
18059TT	Aven Titanium Tweezers 4	Titanium

Style 5 Tweezers

Designed for extra fine work with long blades which break sharply from body and taper to the sharpest points available. Available in different materials and quality grades. Length: 4-1/4" (110mm)

Product ID	Description	Material
18062ACU	Accu-Tek Tweezers 5-SA	Stainless Steel
18062-MS	Mini 5-SA (Swiss Made)	Stainless Steel
18062USA	Technik Tweezers 5-SA	Stainless Steel
18060-CS	Aven Tweezers 5-CS	Carbon Steel, Nickel/Chrome Plated
18062TS	Accu-Tek 5 (Swiss Made)	Titanium
18062TT	Aven Titanium Tweezers 5	Titanium
18062EZ	E-Z Pik Tweezers 5 Green	Stainless Steel
18062-ER	Comfort Grip Tweezers 5-SA	Stainless Steel

Style 5A Tweezers

Features the sharpest points available. The oblique fine points provide greater visibility. Available in different materials and quality grades. Length: 4-1/2" (115mm)

Product ID	Description	Material
18065ACU	Accu-Tek Tweezers 5A-SA	Stainless Steel
18065USA	Technik Tweezers 5A-SA	Stainless Steel
18065TT	Aven Titanium Tweezers 5A	Titanium

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Style 5B Tweezers

35A

36

5

5A

Features super micro high precision bent tips provide maximum visibility. Available in different materials and quality grades. Length: 4-1/4" (110mm)

Product ID	Description	Material
18066USA	Technik Tweezers 5B-SA	Stainless Steel
18066-CS	Aven Tweezers 5B-CS	Carbon Steel, Nickel/Chrome Plated

Style 6 Tweezers

Angled fine tip is designed to allow greater access into tight areas. Available in different materials and quality grades. Length: 4-3/4" (120mm)

Product ID	Description	Material
18069ACU	Accu-Tek Tweezers 6-SA	Stainless Steel
18069USA	Technik Tweezers 6-SA	Stainless Steel
18067-CS	Aven Tweezers 6-CS	Carbon Steel, Nickel/Chrome Plated
18069TS	Accu-Tek 6 (Swiss Made)	Titanium
18069TT	Aven Titanium Tweezers 6	Titanium

Style 65A Tweezers

Long fine curved tips are designed to allow greater access into tight areas. Length: 5-1/2" (140mm)

Product ID	Description	Material
18076ACU	Accu-Tek Tweezers 65A-SA	Stainless Steel

Style 66 Tweezers

Long double bent tips are designed to allow greater access into tight areas. Length: 5-1/2" (140mm)

Product ID	Description	Material
18077ACU	Accu-Tek Tweezers 66-SA	Stainless Steel

Style 7 Tweezers

Designed with curved, super fine points for easy assembly work, allowing hand to rest on bench. Available in different materials and quality grades. Length: 4-1/2" (115mm)

Product ID Description Material 18072ACU Accu-Tek Tweezers 7-SA Stainless Steel 18072USA Technik Tweezers 7-SA Stainless Steel 18070-CS Carbon Steel, Nickel/Chrome Plated Aven Tweezers 7-CS 18072TS Accu-Tek 7 (Swiss Made) Titanium 18072TT Aven Titanium Tweezers 7 Titanium 18072EZ E-Z Pik Tweezers 7 Orange Stainless Steel 18072-FR Comfort Grip Tweezers 7-SA Stainless Steel



65A

66

Precision Tweezers

Style 7B Tweezers

Similar to style 7, pattern 7B tweezers feature serrated tips and have been designed with curved, super fine points for easy assembly work, allowing hand to rest on bench. Length: 4-1/2" (115mm)

Product ID	Description	Material
18074USA	Technik Tweezers 7B-SA	Stainless Steel

Style 15AWG Tweezers

Designed for culling hairsprings and electronic component wires. The blades, made from 400 series stainless steel induction for durability. feature hardened tips. Length: 4-1/2" (115mm)

Product ID	Description	Material
18114ACU	Accu-Tek Tweezers 15AWG-SA	Stainless Steel

Aven 6-Piece Tweezer Set

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Curved and straight tip tweezers are helpful when working in confined spaces
- Locking tweezers helpful for soldering and holding small parts



Description Product ID

18472

Aven 6-Piece Tweezer Set

Aven 5-Piece Tweezer Set

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Curved and straight tip tweezers are helpful when working in confined spaces
- Locking tweezers helpful for soldering and holding small parts

18473

Product ID Description 18473 Aven 5-Piece Tweezer Set

Technik 6-Piece Precision Tweezer Set

- Finely crafted tweezers
- Anti-glare finish to reduce eye strain
- Hand finished points for accuracy
- Ideal for micro electronics and precision 18475USA assembly
- Contains AA-SA, OO-SA, OODSA, 3C-SA, 5-SA and 7-SA styles

Product ID Description 18475USA Technik 6-Piece Precision Tweezer Set

Technik 5-Piece Precision Tweezer Set

- Finely crafted tweezers
- Anti-glare finish to reduce eye strain
- Hand finished points for accuracv
- Ideal for micro electronics and precision assembly
- Contains OO-SA, OOD-SA, 3C-SA, 5-SA and 7-SA styles
- Supplied in an elegant padded wooden case

Product ID	Description
18476USA	Technik 5-Piece Precision Tweezer Set

E-Z Pik 6-Piece Tweezer Set

- Color coated for easy identification
- Contains AA-SA, OO-SA, OODSA, 3C-SA, 5-SA and 7-SA styles
- Stainless steel, anti-magnetic, anti-acid
- Highly durable special coating for high visibility and easy identification

		IUIUULL
Product ID	Description	
18480EZ	E-Z Pik 6-Piece Tweezer Set	
	·	

Titanium 6-Piece Precision Tweezer Set

- Aven's most popular titanium tweezer styles in a handy pouch
- Titanium tweezers do not shed particles like the stainless steel tweezers
- Light weight and high strength material Contains 2A. 3c. OO. AA. 5 and 7 styles
- Extremely useful when handling magnetic materials

Product ID Description

18480TT Titanium 6-Piece Precision Tweezer Set

Carbofib 3-CF Tweezers

These Swiss made, ESD safe tweezers feature excellent wear and abrasion resistance. Ideal for handling sensitive materials such as electronic components, micro-mechanical parts, glass and ceramic substrates, these tweezers provide very high rigidity, excellent tensile and flexural strength and have good chemical resistance to oils,

grease, fuels, and non-polar solvents. Length: 5" (130mm)

Product ID	Description	Tip Style	Tip Width	Style
18702	Carbofib 302-CF Tweezers	Straight, Broad	2mm	302
18704	Carbofib 304-CF Tweezers	Straight, Ultra Fine	0.6mm	304
18760	Carbofib 3-CF Tweezers	Straight, Fine	0.8mm	3
18762	Carbofib 5-CF Tweezers	Straight, Ultra Fine	0.5mm	5
18767	Carbofib 2-CF Tweezers	Straight, Fine	0.8mm	2
18768	Carbofib 2A-CF Tweezers	Straight, Rounded	1.8mm	2A
18769	Carbofib 7-CF Tweezers	Curved, Fine	0.6mm	7



18480EZ

18480TT

18702



AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108







15AWG

7B



18532

18533

18534

18535

18536

Plastic & Carbofib Tweezers

Style 2AB Plastic Tweezers

Curved with rounded tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments.

Product ID	Description	Length
18514	Plastic Tweezers 2AB Curved, Flat Tips	4-1/2" (115mm)

18514

18517

18523

18526

18529

Style 2C Plastic Tweezers

Straight with very fine tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments.

Product ID	Description	Length
18517	Plastic Tweezers 2C Fine, Straight Tips	4-1/2" (115mm)

Style 7 Plastic Tweezers

Curved with very fine tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments.

Product ID	Description	Length
18523	Plastic Tweezers 7 Fine, Curved Tips	4-1/2" (115mm)
-		

Style 35 Plastic Tweezers

Straight with flat tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments.

Product ID	Description	Length
18526	Plastic Tweezers 35 Straight, Flat Tips	4-1/2" (115mm)

Style 35A Plastic Tweezers

Straight with broad, flat tips and made of chemically resistant lightweight plastic, this anti-static tool will not damage sensitive electronic devices such as hard drives nor contaminate materials when used in corrosive environments.

Product ID	Description	Length
18529	Plastic Tweezers 35A Straight, Broad, Flat Tips	4-1/2" (115mm)
Style 702		
	ed from Polyetheretherketone reinforced	

with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

Product ID	Description	Length
18531	ESD Plastic Tweezers 702A Straight, Flat Tips	4-1/2" (115mm)

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Style 705 ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

Product ID	D Description Length	
18532	ESD Plastic Tweezers 705 Very Fine, Tapered Tips	4-1/2" (115mm)

Style 707 ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

Product ID	Description	Length
18533	ESD Plastic Tweezers 707 Fine Tips	4-1/2" (115mm)

Style 707A ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

Product ID	Description	Length
18534	ESD Plastic Tweezers 707A Curved, Fine Tips	4-1/2" (115mm)

Style 709 ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

Product ID	Description	Length
18535	ESD Plastic Tweezers 709 Broad, Flat Tips	4-1/2" (115mm)

Style 710 ESD Plastic Tweezers

Manufactured from Polyetheretherketone reinforced with 30% carbon fiber (PEEK/CF30), these very hard, rigid, high tensile and flexural strength tweezers are ideal for the handling of components in cleaning, chemical, and assembly of components.

Product ID	Description	Length
18536	ESD Plastic Tweezers 710 Wide, Flat Tips	4-1/2" (115mm)

Register online to receive updates on the newest products and for the latest specials from Aven.

Ceramic & General Purpose Tweezers

Victor Ceramic Tweezers

- Low thermal conductivity and high thermal shock resistance
- Ceramic tweezers are used in applications where extreme heat is present
- Highly resistant to all strong acids except hydrofluoric
- Chemically and electrically inert
- Solder will not adhere to surface

Product ID	Description	Material
18801	Ceramic Tweezers Imm Serrated Tips	Ceramic
18802	Ceramic Tweezers 1mm Smooth Tips	Ceramic
18803	Ceramic Tweezers Ultra Fine Smooth Tips	Ceramic
18804	Ceramic Tweezers Curved Fine Smooth Tips	Ceramic

Accu-Tek Ceramic Tweezers

- Low thermal conductivity and high thermal shock resistance
- 100% non magnetic, non rusting and non static
- Highly resistant to all strong acids except hydrofluoric
- Solder will not adhere to surface
- Will hold tip geometry better than metal
- Swiss made stainless steel handles

Product ID	Description	Material
18810	Ceramic Tweezers Pattern 71	Ceramic Tips/Stainless Steel Bodies
18811	Ceramic Tweezers Pattern 72	Ceramic Tips/Stainless Steel Bodies
18812	Ceramic Tweezers Pattern 73	Ceramic Tips/Stainless Steel Bodies
18813	Ceramic Tweezers Pattern 74	Ceramic Tips/Stainless Steel Bodies
18814	Ceramic Tweezers Pattern 7MZ	Ceramic Tips/Stainless Steel Bodies

Aven Fiber Grip Tweezers

- Polished stainless steel tips firmly hold without contaminating
- Heat-resistant fiber grips protect your hands from heat while soldering
- Ideal for soldering, bending, separating and removing small items
- Cross-lock mechanism opens when pressed

Product ID	Description
18415	Aven Fiber Grip Tweezers - Straight
18417	Aven Fiber Grip Tweezers - Curved

Aven Self Locking Tweezers

53

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Cross-lock mechanism opens when pressed and closes when released

18419	
-------	--

18415

Product ID	Description
18419	Aven Self Locking Tweezers - Narrow
18421	Aven Self Locking Tweezers - Wide
18423	Aven Self Locking Tweezers - Narrow Short

Aven College Forceps w/Lock

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Curved tip is helpful when working in confined spaces

Product ID Description

18400 Aven College Forceps w/Lock

Aven College Forceps w/Alignment Pin

- Stainless steel finish provides excellent corrosion resistance
- Alignment pin keeps tips aligned under high stress applications
- Inside and outside serrations provide better gripping and handling

Product ID	Description	Tip Style
18401	Aven College Forceps w/Alignment Pin	Straight, Serrated
18402	Aven College Forceps w/Alignment Pin	Curved, Serrated
18403	Aven College Forceps w/Alignment Pin	Offset Curved, Serrated
18438	Aven College Forceps w/Alignment Pin	Curved, Serrated

Aven Forceps w/Plastic Coated Tips

- Stainless steel finish provides excellent corrosion resistance
- Plastic coated tips provide chemical resistance
- Serrated handles provide better gripping

Product ID Description

18430	Aven 8" Forceps w/Plastic Coated Tips	
18431	Aven 12" Forceps w/Plastic Coated Tips	

Aven Forceps w/Straight Serrated Tips

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Long, straight tip is helpful when working in confined spaces
 Serrated handles provide better gripping

Product ID	Description
18432	Aven 12" Forceps w/Straight Serrated Tips
18433	Aven 10" Forceps w/Straight Serrated Tips
18434	Aven 8" Forceps w/Straight Serrated Tips
18435	Aven 6" Forceps w/Straight Serrated Tips
18436	Aven 5" Forceps w/Straight Serrated Tips

Aven Cross Locking Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for soldering and holding small parts

Product ID Description

18428

18436

18428 Aven Cross Locking Tweezers

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108



18400

18402

18430

18811



18487

18488

18494

General Purpose & Quick Test Tweezers

Aven Utility Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping

Product ID	Description	Tip Style
18425	Aven 7" Utility Tweezers - Curved	Curved, Serrated
18426	Aven 7" Utility Tweezers - Straight	Straight, Serrated

18425

18481

18481

18483

Aven 4 3/8" General Purpose Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping

Product ID	Description	Tip Style
18481	Aven 4 3/8" Curved Tweezers	Curved, Serrated
18482	Aven 4 3/8" Tapered Tweezers	Tapered, Smooth

Aven Blunt Tip Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping
- Blunt tips are useful for handling larger items

Product ID	Description	Tip Style
18486	Aven 3 1/8" Blunt Tweezers	Blunt, Smooth
18490	Aven 5 15/16" Blunt Tweezers	Blunt, Serrated
18492	Aven 10" Blunt Tweezers	Blunt, Serrated

Aven 3" Sharp Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Medium-sharp, serrated tip is helpful when working in confined spaces
- Serrated handles provide better gripping

Product ID	Description	Tip Style
18483	Aven 3" Sharp Tweezers	Medium Sharp, Serrated

Aven General Purpose Flat Tip Tweezers

Stainless steel finish provides excellent	//		
corrosion resistance Ideal for bending, separating and removing			
small items	18484	18485	18489

Product ID	Description	Tip Style
18484	Aven 3 1/8" Tweezers	Sharp-Flat
18485	Aven 3 1/2" Tweezers	Sharp-Flat
18489	Aven 4 3/4" Smooth Tweezers	Sharp-Flat

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

Aven 4 3/8" Spade Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Spade tip is helpful when working in confined spaces
- Serrated handles provide better gripping

Product ID	Description	Tip Style
18487	Aven 4 3/8" Spade Tweezers	Spade

Aven Offset Spade Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Spade tip is helpful when working in confined spaces
- Serrated handles provide better gripping

Product ID	Description	Tip Style
18488	Aven 4 1/8" Offset Spade Tweezers	Spade
18491	Aven 4 1/2" Offset Spade Tweezers	Spade

Aven Toothed Tissue Forceps

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Toothed models are ideal for handling the various thicknesses of tissues

Product ID Description Tip Style 18494 Aven Toothed Tissue Forceps Toothed

Quick-Test Auto-Scanning Tweezers

- Measures AC/DC voltage, resistance, continunity & diode test
- Auto Scanning Mode/Auto range
- Testing pins gold plated to reduce resistance and prevent rust
- Uses Lithium battery CR2032, included
- Will automatically identify whether component is a resistor, capacitor or diode

18910

Product ID Description

18910 Quick-Test Auto-Scanning Tweezers

Register online to receive updates on the newest products and for the latest specials from Aven.

Soldering & Desoldering

Soldering/Desoldering Tools & Accessories

Soldering Station with LCD **Display, ESD Safe 400 Series**

- High-quality sensor and heat exchange system guarantee precise temperature control at the soldering tip
- Soldering iron tool heats rapidly from room temperature to 350C in 30 seconds
- Suitable for general purpose soldering as well as specialized lead-free soldering applications
- Sponge and coiled brass tip cleaner ensure a clean soldering tip free from debris and corrosive material
- Strong, deluxe iron holder provides safe secure place to store heated iron between uses

Product ID Description

17400 Soldering Station with LCD Display, ESD Safe 400 Series

Soldering Station with LCD Display, ESD Safe

405 Series

- LCD temperature control display with blue backlight
- Long lasting, durable high quality ceramic heater
- Sponge and recessed area provides a convenient method for cleaning the tip
- Suitable for general purpose soldering as well as specialized lead-free soldering applications
- Safety guard iron holder

Product ID Description

17405

Soldering Station with LCD Display, ESD Safe 405 Series

Soldering Kit - 6pc

- 40 Watt Soldering Iron heats up to 900° F
- Ideal for use on electrical/electronic components, audio equipment, etc.
- Includes desoldering pump for removing liquid solder
- Provides basic tools needed for many soldering projects
- 6 Pc kit comes complete with replaceable fine tip

Product ID Description

17501 Soldering Kit - 6pc

Soldering Kit - 7pc

- 40 Watt Soldering Iron heats up to 900° F
- Ideal for use on electrical/electronic components, audio equipment, etc.
- Includes desoldering pump for removing liquid solder
- Provides basic tools needed for many soldering projects

Description

Soldering Kit - 7pc

6 Pc kit comes complete with replaceable fine tip

17502

Soldering Iron 80W with Fine Tip

- Ideal for general purpose soldering applications including metal board, tube or large components
- Round, soft grip, non-slip handle
- Durable cord with a 5-foot reach

Description

Fitted with long life replaceable fine tip

Soldering Iron 40W with Fine Tip

Soldering Iron 40W with Fine Tip

- Ideal for general purpose soldering
- Round, soft grip, non-slip handle
- Durable cord with a 5-foot reach
- Fitted with long life replaceable

fine tip Product ID Description

Product ID

17521

17521 Soldering Iron 40W with Fine Tip

N-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Replacement tips for soldering the
- different components of PCBs Five different sizes
- Includes two tips
- For use with 17400 & 17405 ESD Safe Soldering Stations with LCD Display

Product ID Description

17400-N9-1	N-Series Soldering Iron Tips (N9-1)
17400-N9-2	N-Series Soldering Iron Tips (N9-2)
17400-N9-3	N-Series Soldering Iron Tips (N9-3)
17400-N9-4	N-Series Soldering Iron Tips (N9-4)
17400-N9-5	N-Series Soldering Iron Tips (N9-5)

C-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Replacement tips for soldering the different components of PCBs
- Four different sizes
- Includes two tips
- For use with 17521 Soldering Iron 40W

Product ID Description

17521-C1-1	C-Series Soldering Iron Tips (C1-1)
17521-C1-2	C-Series Soldering Iron Tips (C1-2)
17521-C1-3	C-Series Soldering Iron Tips (C1-3)
17521-C1-4	C-Series Soldering Iron Tips (C1-4)

B-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Includes two tips
- For use with 17510 Soldering Iron 80W

Product ID Description

17510-B5-1 B-Series Soldering Iron Tips (B5-1)

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com





17510





17502

Product ID















Soldering & Desoldering

Soldering/Desoldering Tools & Accessories

Lead Free Solder Pot 100W

- Heating element liquifies solder quickly and provides excellent thermal stability
- Crucible is made from stainless steel with titanium plating, featuring corrosion resistance and prolonged service life
- Suitable for melting solder, plastic, resin and more 17100-100
- Ideal for tinning ends of stranded wire leads, pre-tinning small electrical parts and dip soldering small circuit boards

Product ID	Description	Solder Pot Capacity
17100-100	Lead Free Solder Pot 100W	250g

Lead Free Solder Pot 150W

- Heating element liquifies solder quickly and provides excellent thermal stability
- Crucible is made from stainless steel with titanium plating, featuring corrosion resistance and prolonged service life
- Suitable for melting solder, plastic, resin and more 17100-150
- Ideal for tinning ends of stranded wire leads, pre-tinning small electrical parts and dip soldering small circuit boards

Product ID	Description	Solder Pot Capacity
17100-150	Lead Free Solder Pot 150W	500g

Lead Free Solder Pot 200W

- Heating element liquifies solder quickly and provides excellent thermal stability
- Crucible is made from stainless steel with titanium plating, featuring corrosion resistance and prolonged service life
- Suitable for melting solder, plastic, resin and more
- Ideal for tinning ends of stranded wire leads, pre-tinning small electrical parts and dip soldering small circuit boards

Product ID	Description	Solder Pot Capacity
17100-200	Lead Free Solder Pot 200W	800g

Desoldering Pump - High Impact Plastic 13"

- Durable corrosion resistant plastic construction with precision metal plunger
- Cushioned shock reduction minimizes board damage
- Teflon (PTFE) non-stick coated tip
 - Easy to clean one-touch cylinder

Product ID Description

17535 Desoldering Pump - High Impact Plastic 13"

Desoldering Pump - ESD Safe Plastic 8.5"

- Durable corrosion resistant plastic construction
- Easy to clean one-touch cylinder
- Cushioned shock reduction minimizes board damage

 Product ID
 Description

 17536
 Desoldering Pump - ESD Safe Plastic 8.5"

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Desoldering Pump - Metal Body 7.5"

- Durable corrosion resistant aluminum construction with precision metal plunger
- Cushioned shock reduction minimizes board damage
- Push Button for Easy Plunger Release
- Easy to clean one-touch cylinder

Product ID Description

17537 Desoldering Pump - Metal Body 7.5"

Portable Soldering Iron 30-70W

- ▶ 30 to 70 Watt power range
- Cordless, Simple and Safe Operation
- Ready to use in 20 seconds after Ignition
- Adjustable tip temperature from 400°C to
- 1300°C (750°F to 2500°F)
- Supplied with 1mm Conical Tip

Product ID	Description
17801	Portable Soldering Iron 30-70W
17801-T01	T-01 1mm Conical Tip
17801-T02	T-02 2mm Chisel Tip
17801-S05	S-05 Hot Knife Tip
17801-S07	S-07 Heat Blower Tip
17801-S30	S-30 Deflector Tip

Solder Core Wire

- Good solderability, no spattering and non-corrosive
- Leaded solder 60/40 | Lead-free solder 99.3/0.7
- ► 360-440° F melting point
- 1-1.2mm diameter solder available
- Ideal for use on PCB, electronic devices and fine electrical soldering

Product ID	Description
17553	Solder 100g 1.2mm 60/40
17555	Solder 100g 1.0mm 60/40
17553LF	Solder 100g 1.2mm Lead Free
17555LF	Solder 100g 1.0mm Lead Free
17551	Solder in Tube 1.0mm 60/40
17552	Solder in Tube 1.2mm 60/40
17551LF	Solder in Tube 1.0mm Lead Free
17552LF	Solder in Tube 1.2mm Lead Free

Desoldering Wick

- Made of clean, oxide-free copper wire
- Tight weave enables quick "on and off" desoldering
- Concentrated fine copper braiding utilizes less length of wick for each desoldering application
- RoHS compliant

Product ID	Description
17540	Desoldering Wick 1.5mm (0.06")
17541	Desoldering Wick 2mm (0.08")
17542	Desoldering Wick 2.5mm (0.1")



17542



17537

17801



17100-200

17535



Soldering & Desoldering

Benchtop Accessories & Soldering Aids

Benchtop Smoke Absorber

- Removes flux fumes from soldering work bench
- Fumes absorbed by carbon activated filter
- Fan is quiet and will not add significant noise to your workspace
- Stand allows the smoke absorber to be adjusted to varying angles

Product ID Description

17701	Benchtop Smoke Absorber
17701F	Carbon Activated Filter 3pcs with PVC Bag

Static Eliminator

- Provides optimum protection from the destructive effects of electrostatic discharge (ESD)
- Variable speed fan produces an air volume from 35 to 70 CFM
- Covers area of 1 x 5 feet
- Self balancing to +/- 5V
- Voltage: 110-120V

Product ID Description

Static Eliminator 17703

Solder Reel Stand

- Allows solder wire to be drawn out smoothly
- Compact design keeps work benches neat and orderly
- Holds up to 1kg (approximately 2lbs.) roll of solder wire
- Solder reel stand is the ideal solution for easy soldering wire supply

Product ID Description

17560 Solder Reel Stand

Soldering Iron Stands

- Ideal for holding pencil type soldering irons
- Weighted metal base features built in sponge tray
- Designed to withstand everyday industrial use Two per pack

Product ID Description

17533 Solder Iron Stands

Soldering Iron Stand with Soft Coiled **Brass Tip Cleaner**

- Replaceable soft coiled brass tip cleaner
- Cleans tip without messy wet sponges
- Uses low abrasive brass, no water needed
- Works with any tip
- Lengthens tip life by reducing oxidation
- Sturdy heavy duty stand with built in tip cleaner 17530

Product ID Description 17530 Soldering Iron Stand with Soft Coiled Brass Tip Cleaner 17530-TC Soft Coiled Brass Tip Cleaner

Adjustable Circuit Board Holder

- Retractable to accommodate various board sizes up to 198mm wide and up to 4mm thick
- Clamps allow PCB to rotate 360°
- **Rigid metal structure**
- Rubber feet of the base ensure stability
- Ideal for clamping PCB, for soldering/desoldering or rework

Product ID Description

17010 Adjustable Circuit Board Holder

Helping Hands Magnifier with Clamps

- Useful auxiliary tool in soldering, model making and other hobbies
- Heavy-duty cast iron base provides stability Magnifier can be swiveled and fixed to

Description

- desired position or angle Two alligator spring clips that hold work firmly in any position
- 2x magnifier is removable

Product ID

26000 Helping Hands Magnifier with Clamps

Third Hand w/Tweezers

- Stainless steel construction
- Heavy-duty base provides excellent stability and prevents movement
- Designed as a "third hand" allowing both hands free for soldering
- Multi-position swivel clamps permit holding of piece at any angle

17012

17523

17524

Product ID Description

Third Hand w/Tweezers

5-Piece Solder Aid Kit

- Popular solder aids
- Tweezer included
- Head sink included
- 5-piece set provides the right tool at the right time

Product ID Description

17523 5-Piece Solder Aid Kit

Soldering Aids 6-Pc Kit

- Kit includes six of the most popular soldering aids
- Specialized tools to remove components from PCBs and clean holes choked with solder
- Brushes designed for cleaning surface contamination
- Scrapers remove shielding from wires and rust from metal to improve adhesion of solder

Product ID Description

Soldering Aids 6-Pc Kit 17524

AVEN, INC. | 4330 VARSITY DRIVE | ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com




















26000













AVEN, INC. 4330 VARSITY DRIVE ANN ARBOR, MI 48108

Tel: 734.973.0099 | Fax: 734.973.0097 | www.aveninc.com

